


# Product brochure

Edition 2015



## Your direct contact

wedi Headquarters

Telephone +49 2572 156-0  
E-Mail info@wedi.de

wedi Sales United Kingdom

Telephone +44 161 864 2336  
E-Mail sales@wedi.co.uk

## Your direct contact for customisation

Telephone +44 161 8642 336  
Fax +44 161 8641 323

## Packing costs

wedi does not charge for standard packaging.  
Where special packaging is required, we will  
charge it at cost.

wedi products and systems are of a high standard of quality and have received  
numerous certifications throughout Europe.



# Contents

## wedi Building Materials

### wedi building board system (indoors)

#### Page 6 Building boards

- wedi building board
- wedi building board XL & XXL
- wedi building board Vapor, with pre-installed vapour barrier

#### 8 Shapeable building boards

- wedi building board Construct, lengthwise
- wedi building board Construct, widthwise

#### 9 Pre-fabricated building board elements

- wedi Mensolo-L, angle unit
- wedi Mensolo-U, angle unit
- wedi Bathboard, bath cladding
- wedi Bathboard Shower, shower tray cladding
- wedi I-Board, WC installation systems cover

#### 12 Moltoromo modular shower screen system

- wedi Moltoromo, straight wall segment, 300 mm
- wedi Moltoromo, straight wall segment, 600 mm
- wedi Moltoromo, angled wall segment
- wedi Moltoromo, curved wall segment, diameter 500 mm
- wedi Moltoromo, curved wall segment, diameter 1000 mm
- wedi Moltoromo, curved wall segment, diameter 1500 mm
- wedi Moltoromo, straight duct segment
- wedi Moltoromo, angled duct segment
- wedi Moltoromo, curved duct segment, diameter 500 mm
- wedi Moltoromo, curved duct segment, diameter 1000 mm
- wedi Moltoromo, curved duct segment, diameter 1500 mm
- wedi Moltoromo, corner profile
- wedi Moltoromo, centered end profile
- wedi Moltoromo, lateral end profile
- wedi Moltoromo, installation set
- wedi Moltoromo, wall- / door fixing set

#### 20 Assembly materials / accessories for building boards

- wedi 610, adhesive sealant
- wedi Tools, connector 90°
- wedi Tools, wall connector
- wedi Tools, connector 180°
- wedi Tools, metal dowels, galvanised
- wedi Tools, metal dowels, stainless steel V<sub>2</sub>A
- wedi Tools, washer, galvanised
- wedi Tools, washer, stainless steel V<sub>2</sub>A
- wedi Tools, joint reinforcement tape
- wedi Tools, joint reinforcement tape, self-adhesive
- wedi Tools, sealing tape, fleece laminated

- Page 23 • wedi Tools, inside corners, fleece laminated  
23 • wedi Tools, outside corners, fleece laminated  
23 • wedi Tools, sealing gaiter, fleece-laminated  
23 • wedi protective covering fabric

### wedi building board system (outdoors)

#### Page 24 Building boards for balconies and terraces

- 24 • wedi building board Balco
- 24 • wedi building board Balco, sloping board widthwise
- 24 • wedi building board Balco, sloping board lengthwise
- 24 • wedi building board Balco, stepboard

#### 25 Tile profiles for balconies and terraces (thin bed process)

- 25 • wedi Balco, tile profile, thin bed process, stainless steel V<sub>4</sub>A, brushed
- 25 • wedi Balco, connector, thin bed process, stainless steel V<sub>4</sub>A, brushed

#### 26 Assembly materials for wedi building board Balco

- 26 • wedi building board Balco, special primer
- 26 • wedi building board Balco, middle bed mortar, quick
- 26 • wedi building board Balco, sealing set

### wedi impact sound deadening, sealing, decoupling

#### Page 27 Impact sound deadening boards

- 27 • wedi Nonstep Plan, impact sound deadening boards
- 27 • wedi Nonstep Plus, impact sound deadening boards

#### 28 Sealing and decoupling sheets

- 28 • wedi Subliner Dry, sealing membrane
- 28 • wedi Subliner Flex, decoupling membrane
- 28 • wedi Subliner Dry & Flex, sealing and decoupling membrane

### wedi floor-level showers

#### Page 29 Fundo floor elements / wall elements / designer showers

- 29 • wedi Fundo Plano, floor element
- 30 • wedi Fundo Ligno, floor element square, central drain
- 31 • wedi Fundo Ligno, floor element square, offset drain
- 32 • wedi Fundo Ligno, floor element rectangular, offset drain
- 32 • wedi Fundo Ligno, drain substrate element

Page	33	• wedi Fundo Primo, floor element square, central drain	Page	52	• wedi 610, adhesive sealant
	33	• wedi Fundo Primo, floor element square, corner drain		52	• wedi Tools, joint reinforcement tape
	34	• wedi Fundo Primo, floor element rectangular, central drain		52	• wedi Tools, joint reinforcement tape, self-adhesive
	34	• wedi Fundo Primo, floor element rectangular, offset drain		53	• wedi Tools, sealing tape, fleece laminated
	35	• wedi sloping board, Fundo Primo		53	• wedi Tools, inside corners, fleece laminated
	35	• wedi Fundo Borgo, floor element		53	• wedi Tools, outside corners, fleece laminated
	35	• wedi Fundo Trollo, floor element		53	• wedi Tools, sealing gaiter, fleece-laminated
	36	• wedi Fundo Trollo, wall element			
	37	• wedi Fundo Trollo <i>libero</i> , wall element			
	38	• wedi Fundo Nautilo, floor element, right entry			
	38	• wedi Fundo Nautilo, floor element, left entry			
	39	• wedi Fundo Nautilo, wall element			
	40	• wedi Fundo Nautilo <i>libero</i> , wall element			
		<b>Drains for Fundo floor elements</b>			
	41	• wedi Fundo vertical drain, DN 50			
	41	• wedi Fundo vertical drain, DN 50, round			
	42	• wedi Fundo vertical drain, DN 50 with fire protection collar			
	42	• wedi Fundo vertical drain, DN 70			
	43	• wedi Fundo horizontal drain, DN 50			
	43	• wedi Fundo horizontal drain, DN 50, round			
	44	• wedi Fundo drain Mini Max, DN 40, extra flat			
		<b>Drain grids for Fundo floor elements</b>			
	46	• wedi Fundo Fino 1.1, drain grid, stainless steel			
	46	• wedi Fundo Fino 1.3, drain grid, stainless steel, screw in			
	46	• wedi Fundo Fino 2.1, drain grid, stainless steel			
	46	• wedi Fundo Fino 2.3, drain grid, stainless steel, screw in			
	47	• wedi Fundo Fino 3.1, drain grid, stainless steel			
	47	• wedi Fundo Fino 3.3, drain grid, stainless steel, screw in			
	47	• wedi Fundo Fino 4.1, drain grid, solid stainless steel			
	47	• wedi Fundo Fino 5.1, drain grid, solid stainless steel			
	48	• wedi Fundo Fino 1.2, drain grid, stainless steel, round			
	48	• wedi Fundo Fino 2.2, drain grid, stainless steel, round			
	48	• wedi Fundo Fino 3.2, drain grid, stainless steel, round			
	48	• wedi Fundo Fino 4.2, drain grid, stainless steel, round			
	49	• wedi Fundo Fino, frame, stainless steel			
	49	• wedi Fundo Fino, frame, stainless steel, extra flat			
	49	• wedi Fundo Fino, frame, stainless steel, round			
	49	• wedi Fundo Fino, frame, stainless steel, round, extra flat			
		<b>Assembly materials / accessories for Fundo floor elements</b>			
	50	• wedi Fundo sealing set			
	50	• wedi Fundo Primo Easy Set, square, central drain			
	51	• wedi Fundo Primo Easy Set, rectangular, central drain			
	51	• wedi Fundo Primo Easy Set, rectangular, offset drain			
		<b>Channel covers for Fundo floor elements</b>			
	68	• wedi Fundo Riolito neo channel cover standard, Ablaufabdeckung, stainless steel			
	68	• wedi Fundo Riolito neo channel cover exclusive, Ablaufabdeckung, solid stainless steel			
	69	• wedi Fundo Riolito neo channel cover tileable, Ablaufabdeckung, stainless steel			
	70	• wedi Fundo Riolito/Riofino channel cover standard, Ablaufabdeckung, stainless steel			
	70	• wedi Fundo Riolito/Riofino channel cover exclusive, Ablaufabdeckung, solid stainless steel			
	71	• wedi Fundo Riolito/Riofino channel cover tileable, Ablaufabdeckung, stainless steel			
	71	• Screw set for wedi Fundo Riolito/Riofino			

Page	72	<b>Accessories for Fundo floor elements with channel drain</b>
72		• wedi Fundo Riolito Discreto, attachment element
73		• wedi sloping board, Fundo Riolito neo/Riolito
73		• wedi Fundo Riolito neo/Plano Linea end profile, stainless steel V <sub>2</sub> A
74		• wedi Fundo Riolito neo/Plano Linea slope wedge, stainless steel V <sub>2</sub> A
75		• wedi Fundo Riolito neo/Plano Linea slope profile wall, stainless steel V <sub>2</sub> A
76		• wedi Fundo Riolito slope wedge, stainless steel V <sub>2</sub> A
77		• wedi Fundo Riolito slope profile wall, stainless steel V <sub>2</sub> A
78		<b>Fundo customised products</b>
78		• wedi Fundo special floor elements

## wedi Design Line

### wedi bath elements

Page	82	<b>wedi Sanbath Cube</b>
82		• wedi Sanbath Cube, tub
82		• wedi Sanbath Cube, wash stand
83		• wedi Sanbath Cube, shower unit
84		<b>wedi Sanbath Wave</b>
84		• wedi Sanbath Wave, tub
84		• wedi Sanbath Wave, wash basin
85		• wedi Sanbath Wave, shower unit


### wedi wellness elements

Page	86	<b>wedi Sanoasa Comoda benches</b>
86		• wedi Sanoasa Comoda, bench element, slope to front / back
86		• wedi Sanoasa Comoda, carrier element, round finish length
87		• wedi Sanoasa Comoda <sup>linea</sup> , carrier element, straight finish length
88		• wedi Sanoasa Comoda <sup>linea</sup> , corner element
90		• wedi Sanoasa Comoda <sup>linea</sup> , end element
92		• wedi Sanoasa Comoda & Comoda <sup>linea</sup> , armrest
93		<b>wedi Sanoasa Bellina benches</b>
93		• wedi Sanoasa Bellina, bench element, slope to front
93		• wedi Sanoasa Bellina, carrier element, round finish length
94		• wedi Sanoasa Bellina <sup>linea</sup> , carrier element, straight finish length
95		• wedi Sanoasa Bellina <sup>linea</sup> , corner element
97		• wedi Sanoasa Bellina <sup>linea</sup> , end element
99		• wedi Sanoasa Bellina & Bellina <sup>linea</sup> , armrest

Page	100	<b>wedi Sanoasa Forma benches</b>
100		• wedi Sanoasa Forma & Forma <sup>linea</sup> , wellness bench
101		<b>wedi Sanoasa Collina benches</b>
101		• wedi Sanoasa Collina & Collina <sup>linea</sup> , wellness bench, slope to front
103		<b>wedi Sanoasa loungers</b>
103		• wedi Sanoasa Lounger 1
104		• wedi Sanoasa Lounger 2
105		• wedi Sanoasa Lounger 3
106		• wedi Sanoasa Lounger 4
107		• wedi Sanoasa Lounger 5
108		<b>Glass door</b>
108		• wedi Eterna, glass door with stainless steel frame V <sub>2</sub> A
109		<b>Spa and wellness projects</b>
109		• Multi-sensory showers / shower systems
110		• Steam baths / Hamams
111		• Whirlpools / pools / plunge pools
		<b>wedi Plus</b>
Page	112	<b>Sealing sets</b>
112		• wedi Fundo sealing set
112		• wedi building board Balco, sealing set
112		<b>Adhesive sealant</b>
112		• wedi 610, adhesive sealant


## Building boards

### wedi building board



Description	Length x Width x Thickness	Packing unit/ Pallet	Order no.
wedi building board	1250 x 600 x 4 mm	136 boards = 102 m <sup>2</sup>	01-00-00/004
wedi building board	1250 x 600 x 6 mm	136 boards = 102 m <sup>2</sup>	01-00-00/006
wedi building board	1250 x 600 x 10 mm	100 boards = 75 m <sup>2</sup>	01-07-00/010
wedi building board	2500 x 600 x 4 mm	68 boards = 102 m <sup>2</sup>	01-02-50/004
wedi building board	2500 x 600 x 6 mm	68 boards = 102 m <sup>2</sup>	01-02-50/006
wedi building board	2500 x 600 x 10 mm	50 boards = 75 m <sup>2</sup>	01-00-00/010
wedi building board	2500 x 600 x 12.5 mm	50 boards = 75 m <sup>2</sup>	01-00-00/112
wedi building board	2500 x 625 x 12.5 mm	50 boards = 78,13 m <sup>2</sup>	01-00-00/012
wedi building board	2500 x 600 x 20 mm	50 boards = 75 m <sup>2</sup>	01-00-00/020
wedi building board	2500 x 600 x 30 mm	36 boards = 54 m <sup>2</sup>	01-00-00/030
wedi building board	2500 x 600 x 40 mm	36 boards = 54 m <sup>2</sup>	01-00-00/040
wedi building board	2500 x 600 x 50 mm	24 boards = 36 m <sup>2</sup>	01-00-00/050
wedi building board	2500 x 600 x 60 mm	24 boards = 36 m <sup>2</sup>	01-07-10/060
wedi building board	2500 x 600 x 80 mm	20 boards = 30 m <sup>2</sup>	01-07-10/080
wedi building board	2500 x 600 x 100 mm	20 boards = 30 m <sup>2</sup>	01-07-10/199
wedi building board	2600 x 600 x 10 mm	50 boards = 78 m <sup>2</sup>	01-00-00/610
wedi building board	2600 x 600 x 20 mm	50 boards = 78 m <sup>2</sup>	01-00-00/620
wedi building board	2600 x 600 x 30 mm	36 boards = 56,16 m <sup>2</sup>	01-00-00/630
wedi building board	2600 x 600 x 40 mm	36 boards = 56,16 m <sup>2</sup>	01-00-00/640
wedi building board	2600 x 600 x 50 mm	24 boards = 37,44 m <sup>2</sup>	01-00-00/650


### wedi building board XL & XXL



Description	Length x Width x Thickness	Packing unit/ Pallet	Order no.
wedi building board XL	2500 x 900 x 12.5 mm	26 boards = 58,5 m <sup>2</sup>	01-00-00/912
wedi building board XL	2500 x 900 x 20 mm	26 boards = 58,5 m <sup>2</sup>	01-00-00/920
wedi building board XL	2500 x 900 x 30 mm	18 boards = 40,5 m <sup>2</sup>	01-00-00/930
wedi building board XL	2500 x 900 x 50 mm	12 boards = 27 m <sup>2</sup>	01-00-00/950
wedi building board XXL	2600 x 1200 x 12.5 mm	26 boards = 81,12 m <sup>2</sup>	01-00-01/612
wedi building board XXL	2500 x 1200 x 20 mm	26 boards = 78 m <sup>2</sup>	01-00-01/220
wedi building board XXL	2500 x 1200 x 30 mm	18 boards = 54 m <sup>2</sup>	01-00-01/230
wedi building board XXL	2500 x 1200 x 50 mm	12 boards = 36 m <sup>2</sup>	01-00-01/250

Building board XXL: Width 1200 mm

## wedi building board *Vapor* | with vapour barrier




Description	Length x Width x Thickness	Packing unit/ Pallet	Order no.
wedi building board Vapor, with vapour barrier	2500 x 600 x 12.5 mm	50 boards = 75 m <sup>2</sup>	01-07-13/112
wedi building board Vapor, with vapour barrier	2500 x 600 x 20 mm	50 boards = 75 m <sup>2</sup>	01-07-13/020
wedi building board Vapor, with vapour barrier	2500 x 600 x 50 mm	24 boards = 36 m <sup>2</sup>	01-07-13/050



• The thickness of the Vapor building board does not include the 1.5 mm coating.

## Shapeable building boards

### wedi building board *Construct* | lengthwise




Description	Length x Width x Thickness	Packing unit/ Pallet	Order no.
wedi building board Construct, lengthwise	2500 x 600 x <b>20 mm</b>	50 boards = 75 m <sup>2</sup>	01-07-09/020
wedi building board Construct, lengthwise	2500 x 600 x <b>30 mm</b>	36 boards = 54 m <sup>2</sup>	01-07-09/030
wedi building board Construct, lengthwise	2500 x 600 x <b>50 mm</b>	24 boards = 36 m <sup>2</sup>	01-07-09/050

**i** • Building board Construct, lengthwise, calculation of diameter

Thickness	External diameter	Full circles per board
20 mm	363 mm	0.5
30 mm	538 mm	0.4
50 mm	890 mm	0.2

### wedi building board *Construct* | widthwise




Description	Length x Width x Thickness	Packing unit/ Pallet	Order no.
wedi building board Construct, widthwise	2500 x 600 x <b>20 mm</b>	50 boards = 75 m <sup>2</sup>	01-07-08/020
wedi building board Construct, widthwise	2500 x 600 x <b>30 mm</b>	36 boards = 54 m <sup>2</sup>	01-07-08/030
wedi building board Construct, widthwise	2500 x 600 x <b>50 mm</b>	24 boards = 36 m <sup>2</sup>	01-07-08/050

**i** • Building board Construct, widthwise, calculation of diameter

Thickness	External diameter	Full circles per board
20 mm	363 mm	2.2
30 mm	538 mm	1.5
50 mm	890 mm	0.9


## Pre-fabricated building board elements

### wedi Mensolo-L | angled unit



Description	External dimensions	Length x Thickness	Packing unit/ Pallet	Order no.
wedi Mensolo-L, angled unit	150 x 150 mm	2500 x 20 mm	60 units	07-43-00/091
wedi Mensolo-L, angled unit	200 x 200 mm	2500 x 20 mm	40 units	07-43-00/092
wedi Mensolo-L, angled unit	300 x 300 mm	2500 x 20 mm	40 units	07-43-00/093
wedi Mensolo-L, angled unit	200 x 400 mm	2500 x 20 mm	40 units	07-43-00/094
wedi Mensolo-L, angled unit	150 x 150 mm	2600 x 20 mm	60 units	07-43-00/691
wedi Mensolo-L, angled unit	200 x 200 mm	2600 x 20 mm	40 units	07-43-00/692
wedi Mensolo-L, angled unit	300 x 300 mm	2600 x 20 mm	40 units	07-43-00/693
wedi Mensolo-L, angled unit	200 x 400 mm	2600 x 20 mm	40 units	07-43-00/694


### wedi Mensolo-U | angled unit



Description	External dimensions	Length x Thickness	Packing unit/ Pallet	Order no.
wedi Mensolo-U, angled unit	200 x 200 x 200 mm	2600 x 20 mm	40 units	07-43-00/695
wedi Mensolo-U, angled unit	150 x 300 x 150 mm	2600 x 20 mm	30 units	07-43-00/696

## Pre-fabricated building board elements

### wedi Bathboard | bath cladding



Description	Length x Height x Thickness	Packing unit/ Pallet	Order no.
wedi Bathboard, bath cladding, side panel	<b>1800 x 600 x 20 mm</b>	30 units	07-38-20/100
wedi Bathboard, bath cladding, side panel	<b>2100 x 600 x 20 mm</b>	30 units	07-38-20/101
wedi Bathboard, bath cladding, head piece	<b>770 x 600 x 20 mm</b>	30 units	07-38-20/102
<b>m<sup>2</sup></b> wedi Bathboard, side panel			
• 1800 x 600 x 20 mm: approx. 1.08 m <sup>2</sup>			
• 2100 x 600 x 20 mm: approx. 1.26 m <sup>2</sup>			
wedi Bathboard, head piece			
• 770 x 600 x 20 mm: approx. 0.46 m <sup>2</sup>			

### wedi Bathboard Shower | shower tray cladding



Description	Length x Height x Thickness	Packing unit/ Pallet	Order no.
wedi Bathboard Shower, shower tray cladding, side panel	<b>900 x 200 x 20 mm</b>	30 units	07-38-30/001
wedi Bathboard Shower, shower tray cladding, side panel	<b>900 x 300 x 20 mm</b>	30 units	07-38-30/002
<b>m<sup>2</sup></b> Bathboard Shower, side panel			
• 900 x 200 x 20 mm: approx. 0.18 m <sup>2</sup>			
• 900 x 300 x 20 mm: approx. 0.27 m <sup>2</sup>			

## wedi I-Board | WC installation systems cover

	Description	Width x Height x Thickness	Packing unit/ Pallet	Order no.
	wedi I-Board, WC installation systems cover, including spaces for WC piping, brackets and screw set	1200 x 1245 x 20 mm	30 units	07-39-64/220
	<p><b>!</b> • 1 wedi I-Board, WC installation systems cover  • 6 self-tapping screws  • 6 wedi Tools, washer</p> <p><b>i</b> • Alternatively, the wedi I-Board can also be bonded to the front wall  installation using wedi 610 adhesive sealant.</p>			

## Moltoromo modular shower screen system

### wedi Moltoromo | straight wall segment, 300 mm

Description	Length x Width x Height	Packing unit	Order no.
wedi Moltoromo straight wall segment, 300 mm	300 x 50 x 2600 mm	1 unit	07-64-49/003
 • Delivery time is approx. 3 weeks ex-works.  • 1 wall segment + 2 springs  2 x labour			
 Moltoromo straight wall segment, 300 mm • Inside: approx. 0,78 m <sup>2</sup> • Outside: approx. 0,78 m <sup>2</sup>			
Technical drawings			
			

### wedi Moltoromo | straight wall segment, 600 mm

Description	Length x Width x Height	Packing unit	Order no.
wedi Moltoromo straight wall segment, 600 mm	600 x 50 x 2600 mm	1 unit	07-64-49/004
 • Delivery time is approx. 3 weeks ex-works.  • 1 wall segment + 2 springs  2 x labour			
 Moltoromo straight wall segment, 600 mm • Inside: approx. 1,56 m <sup>2</sup> • Outside: approx. 1,56 m <sup>2</sup>			
Technical drawings			
			

## wedi Moltoromo | angled wall segment



Description	Length x Width x Height	Packing unit	Order no.
wedi Moltoromo angled wall segment	300 x 300 x 2600 mm	1 unit	07-64-49/002

⚠ • Delivery time is approx. 3 weeks ex-works.

⚠ • 1 wall segment + 2 springs


⚠ 2 x labour

m<sup>2</sup> Moltoromo angled wall segment

• Inside: approx. 1,30 m<sup>2</sup>

• Outside: approx. 1,56 m<sup>2</sup>

### Technical drawings



## wedi Moltoromo | curved wall segment, diameter 500 mm



Description	Length x Width x Height	Packing unit	Order no.
wedi Moltoromo curved wall segment, diameter 500 mm	424,3/123,1 x 50 x 2600 mm	1 unit	07-64-49/005

⚠ • Delivery time is approx. 3 weeks ex-works.

⚠ • 1 wall segment + 2 springs


⚠ 2 x labour

m<sup>2</sup> Moltoromo curved wall segment,  
diameter 500 mm

• Inside: approx. 1,02 m<sup>2</sup>


• Outside: approx. 1,23 m<sup>2</sup>

### Technical drawings




## Moltoromo modular shower screen system

### wedi Moltoromo | curved wall segment, diameter 1000 mm



Description	Length x Width x Height	Packing unit	Order no.
wedi Moltoromo curved wall segment, diameter 1000 mm	421/88,1 x 50 x 2600 mm	1 unit	07-64-49/006
<ul style="list-style-type: none"> <li><span style="color: red;">!</span> • Delivery time is approx. 3 weeks ex-works.</li> <li><span style="color: green;">!</span> • 1 wall segment + 2 springs</li> <li><span style="color: purple;">!</span> 2 x labour</li> </ul>			
<span style="color: blue;"><b>m<sup>2</sup></b></span> Moltoromo curved wall segment, diameter 1000 mm			
<ul style="list-style-type: none"> <li>• Inside: approx. 1,02 m<sup>2</sup></li> <li>• Outside: approx. 1,12 m<sup>2</sup></li> </ul>			
Technical drawings			

### wedi Moltoromo | curved wall segment, diameter 1500 mm



Description	Length x Width x Height	Packing unit	Order no.
wedi Moltoromo curved wall segment, diameter 1500 mm	414,1/75,6 x 50 x 2600 mm	1 unit	07-64-49/001
<ul style="list-style-type: none"> <li><span style="color: red;">!</span> • Delivery time is approx. 3 weeks ex-works.</li> <li><span style="color: green;">!</span> • 1 wall segment + 2 springs</li> <li><span style="color: purple;">!</span> 2 x labour</li> </ul>			
<span style="color: blue;"><b>m<sup>2</sup></b></span> Moltoromo curved wall segment, diameter 1500 mm			
<ul style="list-style-type: none"> <li>• Inside: approx. 1,02 m<sup>2</sup></li> <li>• Outside: approx. 1,12 m<sup>2</sup></li> </ul>			
Technical drawings			

## wedi Moltoromo | straight duct segment



Description	Length x Width x Height	Packing unit	Order no.
wedi Moltoromo straight duct segment	100 x 600 x 2600 mm	1 unit	07-64-49/007

⚠ • Delivery time is approx. 3 weeks ex-works.

⚠ • 1 supply segment + 2 springs

⚠ 2 x labour

m<sup>2</sup> Moltoromo straight duct segment

- Inside: approx. 1,56 m<sup>2</sup>
- Outside: approx. 1,82 m<sup>2</sup>

### Technical drawings



## wedi Moltoromo | angled duct segment



Description	Length x Width x Height	Packing unit	Order no.
wedi Moltoromo angled duct segment	300 x 300 x 2600 mm	1 unit	07-64-49/011

⚠ • Delivery time is approx. 3 weeks ex-works.


⚠ • 1 supply segment + 2 springs

⚠ 2 x labour

m<sup>2</sup> Moltoromo angled duct segment

- Inside: approx. 0,89 m<sup>2</sup>
- Outside: approx. 1,56 m<sup>2</sup>

### Technical drawings



## Moltoromo modular shower screen system

### wedi Moltoromo | curved duct segment, diameter 500 mm




Description	Length x Width x Height	Packing unit	Order no.
wedi Moltoromo curved duct segment, diameter 500 mm	180 x 424,3 x 2600 mm	1 unit	07-64-49/012

-  • Delivery time is approx. 3 weeks ex-works.
-  • 1 supply segment + 2 springs
-  2 x labour

 Moltoromo curved duct segment, diameter 500 mm

- Inside: approx. 1,00 m<sup>2</sup>
- Outside: approx. 1,41 m<sup>2</sup>

#### Technical drawings



### wedi Moltoromo | curved duct segment, diameter 1000 mm




Description	Length x Width x Height	Packing unit	Order no.
wedi Moltoromo curved duct segment, diameter 1000 mm	150 x 421 x 2600 mm	1 unit	07-64-49/013

-  • Delivery time is approx. 3 weeks ex-works.
-  • 1 supply segment + 2 springs
-  2 x labour

 Moltoromo curved duct segment, diameter 1000 mm

- Inside: approx. 1,00 m<sup>2</sup>
- Outside: approx. 1,26 m<sup>2</sup>

#### Technical drawings



## wedi Moltoromo | curved duct segment, diameter 1500 mm



Description	Length x Width x Height	Packing unit	Order no.
wedi Moltoromo curved duct segment, diameter 1500 mm	140 x 414,1 x 2600 mm	1 unit	07-64-49/014
<p><b>!</b> • Delivery time is approx. 3 weeks ex-works.</p> <p><b>!</b> • 1 supply segment + 2 springs</p> <p><b>!</b> 2 x labour</p>			
<p><b>m<sup>2</sup></b> Moltoromo curved duct segment, diameter 1500 mm</p> <ul style="list-style-type: none"> <li>• Inside: approx. 1,00 m<sup>2</sup></li> <li>• Outside: approx. 1,21 m<sup>2</sup></li> </ul>			
<p><b>Technical drawings</b></p>			


## wedi Moltoromo | corner profile




Description	Length x Width x Height	Packing unit	Order no.
wedi Moltoromo corner profile, inside radius 180 mm	200 x 200 x 2600 mm	1 unit	07-64-49/010
<p><b>!</b> • Delivery time is approx. 3 weeks ex-works.</p> <p><b>!</b> • 1 corner profile</p>			
<p><b>m<sup>2</sup></b> Moltoromo corner profile, inside radius 180 mm</p> <ul style="list-style-type: none"> <li>• Inside: approx. 0,68 m<sup>2</sup></li> </ul>			
<p><b>Technical drawings</b></p>			

## Moltoromo modular shower screen system

### wedi Moltoromo | centered end profile

Description	Length x Width x Height	Packing unit	Order no.
wedi Moltoromo centered end profile	93,3 x 100 x 2600 mm	1 unit	07-64-49/008
<ul style="list-style-type: none"> <li> • Delivery time is approx. 3 weeks ex-works.</li> <li> • 1 end profile + 1 spring</li> </ul>			
<b>Technical drawings</b> 			 Moltoromo centered end profile • Outside: approx. 0,68 m <sup>2</sup>

### wedi Moltoromo | lateral end profile

Description	Length x Width x Height	Packing unit	Order no.
wedi Moltoromo lateral end profile	100 x 100 x 2600 mm	1 unit	07-64-49/009
<ul style="list-style-type: none"> <li> • Delivery time is approx. 3 weeks ex-works.</li> <li> • 1 end profile</li> </ul>			 Moltoromo lateral end profile • Outside: approx. 0,61 m <sup>2</sup>
<b>Technical drawings</b> 			

## wedi Moltoromo | installation set



### Description

wedi Moltoromo installation set

### Packing unit

1 unit

### Order no.

07-64-49/015



- Accessories tailored for two wall segments.
- Delivery time is approx. 3 weeks ex-works.



- 2 x fixing blocks 50 x 50 x 32 mm
- 4 x soft pads 30 x 50 x 500 mm
- 1 roll of self-adhesive joint reinforcement tape 25 m
- 1 cartridge of wedi 610 adhesive sealant
- 1 x installation instructions

## wedi Moltoromo | wall - / door fixing set



### Description

wedi Moltoromo wall - / door fixing set

### Packing unit

1 unit

### Order no.

07-64-49/016



- Accessories tailored for two wall segments.
- Delivery time is approx. 3 weeks ex-works.



- 2 x fixing strips 15 x 30 x 1300 mm
- 6 x nailed dowel, meas. 6 x 80 mm

## Assembly materials / accessories for building boards

### wedi 610 | adhesive sealant

	Description	Contents	Packing unit	Packing unit/ box	Order no.
	wedi 610, adhesive sealant	310 ml	1 Cartridge	20 units	07-69-02/002
<span style="color: green;">i</span> • Consumption: 8 – 10 m per cartridge					

### wedi Tools | connector 90°

	Description	Packing unit/ Blister	Packing unit/ box	Order no.
	wedi Tools, connector 90°		100 units	09-53-00/191
	wedi Tools, connector 90°	5 units		09-53-03/191

### wedi Tools | wall connector

	Description	Packing unit/ Blister	Packing unit/ box	Order no.
	wedi Tools, wall connector		100 units	09-53-00/192
	wedi Tools, wall connector	5 units		09-53-03/192

### wedi Tools | connector 180°

	Description	Packing unit/ Blister	Packing unit/ box	Order no.
	wedi Tools, connector 180°		100 units	09-53-00/193
	wedi Tools, connector 180°	5 units		09-53-03/193

## wedi Tools | metal dowel, galvanised



Description	Length	Packing unit/ Blister	Packing unit/ box	Order no.
wedi Tools, metal dowel, galvanised	50 mm		100 units	09-49-20/104
wedi Tools, metal dowel, galvanised	80 mm		100 units	09-49-20/108
wedi Tools, metal dowel, galvanised	80 mm	10 units		09-49-23/108
wedi Tools, metal dowel, galvanised	110 mm		100 units	09-49-20/111
wedi Tools, metal dowel, galvanised	110 mm	10 units		09-49-22/111
wedi Tools, metal dowel, galvanised	140 mm		100 units	09-49-20/114
wedi Tools, metal dowel, galvanised	140 mm	10 units		09-49-22/114
wedi Tools, metal dowel, galvanised	200 mm		100 units	09-49-20/122

- i** • Nailed dowels hole 8 mm  
• Anchoring depth in the sub-surface: at least 35 mm

## wedi Tools | metal dowel, stainless steel



Description	Length	Packing unit/ box	Order no.
wedi Tools, metal dowel, V <sub>2</sub> A stainless steel	80 mm	100 units	09-49-40/108
wedi Tools, metal dowel, V <sub>2</sub> A stainless steel	110 mm	100 units	09-49-40/111
wedi Tools, metal dowel, V <sub>2</sub> A stainless steel	140 mm	100 units	09-49-40/114

- i** • Nailed dowels hole 8 mm  
• Anchoring depth in the sub-surface: at least 35 mm

## wedi Tools | washer, galvanised



Description	Diameter	Packing unit/ Blister	Packing unit/ box	Order no.
wedi Tools, washer, galvanised	35 mm		100 units	09-48-60/106
wedi Tools, washer, galvanised	35 mm	10 units		09-48-62/106

## wedi Tools | washer, stainless steel



Description	Diameter	Packing unit/ box	Order no.
wedi Tools, washer, V <sub>2</sub> A stainless steel	35 mm	100 units	09-48-60/239

## Assembly materials / accessories for building boards

### wedi Tools | joint reinforcement tape

	Description	Roll length x Width	Packing unit/box	Order no.
	wedi Tools, joint reinforcement tape wedi Tools, joint reinforcement tape	25 m x 125 mm 50 m x 600 mm	1 roll 1 roll	09-52-20/053 09-52-10/052
				

### wedi Tools | joint reinforcement tape, self-adhesive

	Description	Roll length x Width	Packing unit/box	Order no.
	wedi Tools, joint reinforcement tape, self-adhesive wedi Tools, joint reinforcement tape, self-adhesive	25 m x 125 mm 50 m x 600 mm	1 roll 1 roll	09-52-25/053 09-52-15/052
				

### wedi Tools | sealing tape, fleece laminated

	Description	Roll length x Width	Packing unit/box	Order no.
	wedi Tools, sealing tape, fleece laminated wedi Tools, sealing tape, fleece laminated	50 m x 100 mm 10 m x 120 mm	1 roll 1 roll	09-51-00/352 09-51-10/311
	wedi Tools, sealing tape, fleece laminated	50 m x 120 mm	1 roll	09-51-10/352

## wedi Tools | inside corners, fleece laminated




Description	Length of side piece	Packing unit/box	Order no.
wedi Tools, inside corners, fleece laminated	120 x 120 mm	25 units	09-51-30/001

## wedi Tools | outside corners, fleece laminated



Description	Length of side piece	Packing unit/box	Order no.
wedi Tools, outside corners, fleece laminated	115 x 115 mm	25 units	09-51-35/001

## wedi Tools | sealing garter



Description	Dimensions	Packing unit	Order no.
wedi Tools, sealing garter, fleece-laminated, extendable (suitable for 1/2" to 3/4" feed-throughs)	120 x 120 mm	10 units	09-51-20/050

## wedi protective covering fabric




Description	Roll length x Width	Packing unit/Pallet	Order no.
wedi protective covering fabric	25 m x 1 m	12 rolls	08-46-00/100

# wedi® building board system (outdoors)


Building boards for balconies and terraces

## wedi building board *Balco*




Description	Length x Width x Thickness	Packing unit/ Pallet	Order no.
wedi building board Balco	1200 x 800 x 10 mm	76 boards = 72,96 m <sup>2</sup>	01-13-00/010
wedi building board Balco	1200 x 800 x 20 mm	50 boards = 48,00 m <sup>2</sup>	01-13-00/020
wedi building board Balco	1200 x 800 x 50 mm	24 boards = 23,04 m <sup>2</sup>	01-13-00/050

## wedi building board *Balco* | sloping board widthwise




Description	Length x Width x Thickness	Packing unit/ Pallet	Order no.
wedi building board Balco, sloping board widthwise	1200 x 800 x 50/38 mm	24 boards = 23,04 m <sup>2</sup>	01-13-00/059

## wedi building board *Balco* | sloping board lengthwise



Description	Length x Width x Thickness	Packing unit/ Pallet	Order no.
wedi building board Balco, sloping board lengthwise	1200 x 800 x 38/20 mm	24 boards = 23,04 m <sup>2</sup>	01-13-00/058


## wedi building board *Balco* | stepboard



Description	Length of side x Length x Thickness	Packing unit/ Pallet	Order no.
wedi building board Balco, stepboard	200/400 x 1200 x 20 mm	20 units	07-43-11/394

## Tile profiles for balconies and terraces (thin bed process)

### wedi *Balco* | tile profile, thin bed process, stainless steel V<sub>4</sub>A, brushed



Description	Thickness	Packing unit/cover	Order no.										
wedi Balco, tile profile, thin bed process, stainless steel V <sub>4</sub> A, satin brushed finish	30 mm	5 x 2.5 m rods	13-77-00/030										
wedi Balco, tile profile, thin bed process, stainless steel V <sub>4</sub> A, satin brushed finish	40 mm	5 x 2.5 m rods	13-77-00/040										
wedi Balco, tile profile, thin bed process, stainless steel V <sub>4</sub> A, satin brushed finish	60 mm	5 x 2.5 m rods	13-77-00/060										
wedi Balco, tile profile, thin bed process, stainless steel V <sub>4</sub> A, satin brushed finish	90 mm	5 x 2.5 m rods	13-77-00/096										
<table border="1" style="margin-left: auto; margin-right: 0;"> <tr> <td>Material / Application</td> <td>Interior</td> <td>Exterior</td> <td>Wall</td> <td>Floor</td> </tr> <tr> <td style="text-align: center;">Stainless steel V<sub>4</sub>A</td> <td style="text-align: center;">•</td> <td></td> <td></td> <td style="text-align: center;">•</td> </tr> </table>				Material / Application	Interior	Exterior	Wall	Floor	Stainless steel V <sub>4</sub> A	•			•
Material / Application	Interior	Exterior	Wall	Floor									
Stainless steel V <sub>4</sub> A	•			•									

### wedi *Balco* | connector, thin bed process, stainless steel V<sub>4</sub>A, brushed



Description	Thickness	Packing unit/box	Order no.
wedi Balco, connector, thin bed process, stainless steel V <sub>4</sub> A, satin brushed finish	30 mm	10 units	13-77-05/030
wedi Balco, connector, thin bed process, stainless steel V <sub>4</sub> A, satin brushed finish	40 mm	10 units	13-77-05/040
wedi Balco, connector, thin bed process, stainless steel V <sub>4</sub> A, satin brushed finish	60 mm	10 units	13-77-05/060
wedi Balco, connector, thin bed process, stainless steel V <sub>4</sub> A, satin brushed finish	90 mm	10 units	13-77-05/096

## Assembly materials for wedi building board Balco

wedi building board *Balco* | special primer

## Description

wedi building board Balco, special primer

## Packing unit

1 kg tin

## Order no.

09-54-02/000



- Usage: Roughly 1kg for 6 sqm (tanked) bitumen welding sheet (in the case of slated sheets for example, the amount of product required will increase).



- 1 kg combination binder  
(1 kg liquid component, 10 g + 15 g hardening powder)

wedi building board *Balco* | middle bed mortar, quick

## Description

wedi building board Balco, middle bed mortar, quick

## Packing unit

25 kg bag

## Packing unit/Pallet

42 bags

## Order no.

09-54-03/000



- Consumption when used as middle bed mortar:  
approx. 17 kg/m<sup>2</sup> for an average application thickness of 15 mm.
- Application thicknesses of between 5 – 20 mm are possible.

wedi building board *Balco* | sealing set

## Description

wedi building board Balco, sealing set

## Packing unit

1 bucket set

## Order no.

09-54-00/000




- A Balco sealing set is sufficient for approx. 6 m<sup>2</sup>.



- 4.4 kg powder component
- 2.2 l liquid component
- 20 m (2 x 10 m) sealing tape

## Impact sound deadening boards

wedi *Nonstep Plan* | impact sound deadening boards

Description	Length x Width x Height	Packing unit/Pallet	Order no.
wedi Nonstep Plan	1200 x 600 x 6 mm	50 boards = 36 m <sup>2</sup>	01-12-20/000

wedi *Nonstep Plus* | impact sound deadening boards

Description	Length x Width x Height	Packing unit/Pallet	Order no.
wedi Nonstep Plus	1200 x 600 x 12 mm	50 boards = 36 m <sup>2</sup>	01-12-00/000

## Sealing and decoupling sheets

### wedi Subliner Dry | sealing membrane



Description	Roll length x Width	Packing unit/Pallet	Order no.
wedi Subliner Dry, sealing membrane	30 m x 1 m	40 rolls	09-51-10/332
wedi Subliner Dry, sealing membrane	5 m x 1 m	96 rolls	09-51-10/305

 • Flexible sealing membrane for medium and high wet areas inside.

### wedi Subliner Flex | decoupling membrane



Description	Roll length x Width	Packing unit/Pallet	Order no.
wedi Subliner Flex, decoupling membrane	30 m x 1 m	18 rolls	09-51-10/331

 • Tension-reducing membrane for inside.

### wedi Subliner Dry & Flex | sealing and decoupling membrane




Description	Roll length x Width	Packing unit/Pallet	Order no.
wedi Subliner Dry & Flex, sealing and decoupling membrane	15 m x 1 m	36 rolls	09-51-10/315

 • Sealing and decoupling membrane for medium and high wet areas inside and outside with crack by passing properties.

## Fundo floor elements with spot drainage / wall elements

### wedi Fundo *Plano* | complete system incl. integrated drain technology



Description	DN	Length x Width x Thickness	Packing unit/Pallet	Order no.
wedi Fundo Plano, floor element with fully integrated drain technology, point drain	40	900 x 900 x 65 mm	10 units	07-37-35/600
wedi Fundo Plano, floor element with fully integrated drain technology, point drain	40	1000 x 1000 x 65 mm	10 units	07-37-35/601
wedi Fundo Plano, floor element with fully integrated drain technology, point drain	40	1200 x 1200 x 65 mm	10 units	07-37-35/602
wedi Fundo Plano, floor element with fully integrated drain technology, point drain, long side connection	40	1200 x 900 x 65 mm	10 units	07-37-35/603
wedi Fundo Plano, floor element with fully integrated drain technology, point drain, short side connection	40	1200 x 900 x 65 mm	10 units	07-37-35/604
<b>NEW</b> wedi Fundo Plano, floor element with fully integrated drain technology, non-central drain, short side connection	40	1400 x 900 x 65 mm	10 units	07-37-35/605
<b>NEW</b> wedi Fundo Plano, floor element with fully integrated drain technology, non-central drain, short side connection	40	1600 x 1000 x 65 mm	10 units	07-37-35/606




- !** • One packing unit = 10 pieces; all Fundo floor elements combinable, individual purchase possible!
- Drain capacity: 30 l / min.
- The horizontal drain DN 40 is firmly integrated in the floor element.
- !** • The required assembly accessory (wedi sealing garter) is included in the scope of supply.
- A brushed V<sub>2</sub>A stainless steel cover (132 x 132 mm) is included in the scope of delivery of all Fundo Plano floor elements.

**m<sup>2</sup>** Fundo Plano, floor element:


- 900 x 900 mm: approx. 0,80 m<sup>2</sup>
- 1000 x 1000 mm: approx. 1,00 m<sup>2</sup>
- 1200 x 1200 mm: approx. 1,44 m<sup>2</sup>
- 1200 x 900 mm: approx. 1,08 m<sup>2</sup>
- 1400 x 900 mm: approx. 1,26 m<sup>2</sup>
- 1600 x 1000 mm: approx. 1,60 m<sup>2</sup>

#### Technical drawing


Fundo Plano, point drain, 900 x 900 mm




Fundo Plano, point drain, 1200 x 900 mm, long side connection



Fundo Plano, point drain, 1200 x 900 mm, short side connection



Fundo Plano, non-central drain, 1400 x 900 mm, short side connection



## Fundo floor elements with spot drainage / wall elements

### wedi Fundo *Ligno* | square floor element, centre drain

Please note:  
Matching drain.  
Order now!



Description	Length x Width x Thickness	Packing unit/Pallet	Order no.
wedi Fundo Ligno, square floor element, centre drain	900 x 900 x 20/41 mm	10 units	07-37-32/011
wedi Fundo Ligno, square floor element, centre drain	1200 x 1200 x 20/41 mm	10 units	07-37-32/012
wedi Fundo Ligno, square floor element, centre drain	1500 x 1500 x 20/41 mm	10 units	07-37-32/013



- One packing unit = 10 pieces; all Fundo floor elements combinable, individual purchase possible!
- Only wedi drainage systems for Fundo can be installed with Fundo floor elements.

**m<sup>2</sup>** Fundo Ligno, floor element:



- 900 x 900 mm: approx. 0.80 m<sup>2</sup>
- 1200 x 1200 mm: approx. 1.44 m<sup>2</sup>
- 1500 x 1500 mm: approx. 2.25 m<sup>2</sup>

#### Technical drawing

Top view



Bottom view



# wedi Fundo *Ligno* | square floor element, corner drain

Please note:  
Matching drain.  
Order now!



## Description

wedi Fundo Ligno,  
square floor element, corner drain  
wedi Fundo Ligno,  
square floor element, corner drain

Length x Width x Thickness

900 x 900 x 20/41 mm

10 units

Order no.

07-37-32/021

1200 x 1200 x 20/41 mm

10 units

07-37-32/023




- One packing unit = 10 pieces; all Fundo floor elements combinable, individual purchase possible!
- Only wedi drainage systems for Fundo can be installed with Fundo floor elements.

**m<sup>2</sup>** Fundo Ligno, floor element:



- 900 x 900 mm: approx. 0.80 m<sup>2</sup>
- 1200 x 1200 mm: approx. 1.44 m<sup>2</sup>

## Technical drawing

Top view



Bottom view



## Fundo floor elements with spot drainage / wall elements

### wedi Fundo Ligno | rectangular floor element, offset drain

Please note:  
Matching drain.  
Order now!



Description	Length x Width x Thickness	Packing unit/Pallet	Order no.
wedi Fundo Ligno, rectangular floor element, offset drain	1200 x 900 x 20/41 mm	10 units	07-37-32/022
wedi Fundo Ligno, rectangular floor element, offset drain	1600 x 900 x 20/41 mm	10 units	07-37-32/024

- ! • One packing unit = 10 pieces; all Fundo floor elements combinable, individual purchase possible!  
• Only wedi drainage systems for Fundo can be installed with Fundo floor elements.

- m² Fundo Ligno, floor element:  
• 1200 x 900 mm: approx. 1,08 m²  
• 1600 x 900 mm: approx. 1,44 m²

#### Technical drawing

Fundo Ligno, floor element, rectangular, corner drain, 1200 x 900 mm

Top view



Bottom view



Fundo Ligno, floor element, rectangular, corner drain, 1600 x 900 mm

Top view



Bottom view




### wedi Fundo Ligno | drain substrate element



Description	Length x Width x Thickness	Packing unit/ Pallet	Order no.
wedi Fundo Ligno, drain substrate element	338 x 338 x 82 mm	1 unit	07-37-32/090

## wedi Fundo Primo | square floor element, central drain

Please note:  
Matching drain.  
Order now!



Description	Length x Width x Thickness	Packing unit/Pallet	Order no.
wedi Fundo Primo, square floor element, central drain	900 x 900 x 40 mm	10 units	07-37-35/170
wedi Fundo Primo, square floor element, central drain	1000 x 1000 x 40 mm	10 units	07-37-35/131
wedi Fundo Primo, square floor element, central drain	1200 x 1200 x 40 mm	10 units	07-37-35/171
wedi Fundo Primo, square floor element, central drain	1500 x 1500 x 40 mm	10 units	07-37-35/175

- !** • One packing unit = 10 pieces; all Fundo floor elements combinable, individual purchase possible!  
• Only wedi drainage systems for Fundo can be installed with Fundo floor elements.

**m<sup>2</sup>** Fundo Primo, floor element,  
central drain:

- 900 x 900 mm: approx. 0.80 m<sup>2</sup>
- 1000 x 1000 mm: approx. 1.00 m<sup>2</sup>
- 1200 x 1200 mm: approx. 1.44 m<sup>2</sup>
- 1500 x 1500 mm: approx. 2.25 m<sup>2</sup>

## wedi Fundo Primo | square floor element, corner drain

Please note:  
Matching drain.  
Order now!



Description	Length x Width x Thickness	Packing unit/Pallet	Order no.
wedi Fundo Primo, square floor element, corner drain	900 x 900 x 40 mm	10 units	07-37-36/170
wedi Fundo Primo, square floor element, corner drain	1000 x 1000 x 40 mm	10 units	07-37-35/531
wedi Fundo Primo, square floor element, corner drain	1200 x 1200 x 40 mm	10 units	07-37-36/171
wedi Fundo Primo, square floor element, corner drain	1500 x 1500 x 40 mm	10 units	07-37-36/175


- !** • One packing unit = 10 pieces; all Fundo floor elements combinable, individual purchase possible!  
• Only wedi drainage systems for Fundo can be installed with Fundo floor elements.

**m<sup>2</sup>** Fundo Primo, floor element,  
offset drain:

- 900 x 900 mm: approx. 0.80 m<sup>2</sup>
- 1000 x 1000 mm: approx. 1.00 m<sup>2</sup>
- 1200 x 1200 mm: approx. 1.44 m<sup>2</sup>
- 1500 x 1500 mm: approx. 2.25 m<sup>2</sup>

### Technical drawings


#### Drain position



## Fundo floor elements with spot drainage / wall elements

Please note:  
Matching drain.  
Order now!

### wedi Fundo Primo | rectangular floor element, central drain



Description	Length x Width x Thickness	Packing unit/Pallet	Order no.
wedi Fundo Primo, floor element, rectangular, central drain	900 x 750 x 40 mm	10 units	07-37-35/176
wedi Fundo Primo, floor element, rectangular, central drain	1200 x 900 x 40 mm	10 units	07-37-35/174
wedi Fundo Primo, floor element, rectangular, central drain	1400 x 900 x 40 mm	10 units	07-37-35/196
wedi Fundo Primo, floor element, rectangular, central drain	1500 x 900 x 40 mm	10 units	07-37-36/120
wedi Fundo Primo, floor element, rectangular, central drain	1800 x 900 x 40 mm	10 units	07-37-35/580
wedi Fundo Primo, floor element, rectangular, central drain	1400 x 1000 x 40 mm	10 units	07-37-35/198
wedi Fundo Primo, floor element, rectangular, central drain	1500 x 1000 x 40 mm	10 units	07-37-36/121

- !** • One packing unit = 10 pieces; all Fundo floor elements combinable, individual purchase possible!  
• Only wedi drainage systems for Fundo can be installed with Fundo floor elements.

- m<sup>2</sup>** Fundo Primo, floor element, central drain:  
• 900 x 750 mm: approx. 0.68 m<sup>2</sup>  
• 1200 x 900 mm: approx. 1.08 m<sup>2</sup>  
• 1400 x 900 mm: approx. 1.26 m<sup>2</sup>  
• 1500 x 900 mm: approx. 1.35 m<sup>2</sup>  
• 1800 x 900 mm: approx. 1.62 m<sup>2</sup>  
• 1400 x 1000 mm: approx. 1.40 m<sup>2</sup>  
• 1500 x 1000 mm: approx. 1.50 m<sup>2</sup>

### wedi Fundo Primo | rectangular floor element, offset drain

Please note:  
Matching drain.  
Order now!




Description	Length x Width x Thickness	Packing unit/Pallet	Order no.
wedi Fundo Primo, floor element rectangular, offset drain	1200 x 900 x 40 mm	10 units	07-37-36/174
wedi Fundo Primo, floor element rectangular, offset drain	1800 x 900 x 40 mm	10 units	07-37-35/180

- !** • One packing unit = 10 pieces; all Fundo floor elements combinable, individual purchase possible!  
• Only wedi drainage systems for Fundo can be installed with Fundo floor elements.


- m<sup>2</sup>** Fundo Primo, floor element, offset drain:  
• 1200 x 900 mm: approx. 1.08 m<sup>2</sup>  
• 1800 x 900 mm: approx. 1.62 m<sup>2</sup>

#### Technical drawings


Drain position for 1200 x 900 mm



Drain position for 1800 x 900 mm



## **NEW** wedi sloping board | Fundo *Primo*



### Description

wedi sloping board 1, Fundo Primo  
wedi sloping board 2, Fundo Primo

### Length x Width x Thickness

600 x 1200 x 40/46 mm

### Packing unit/Pallet

40 units

### Order no.

07-37-37/001

600 x 1200 x 46/52 mm

40 units

07-37-37/002

### m<sup>2</sup> Fundo Primo, sloping board:

- 600 x 1200 mm: approx. 0.72 m<sup>2</sup>

Please note:  
Matching drain.  
Order now!

## wedi Fundo *Borgo* | floor element, corner drain



### Description

wedi Fundo Borgo, floor element  
wedi Fundo Borgo, floor element

### Length x Width x Thickness

900 x 900 x 40 mm

### Packing unit/Pallet

10 units

### Order no.

07-37-35/576

1000 x 1000 x 40 mm

10 units

07-37-36/576



- One packing unit = 10 pieces; all Fundo floor elements combinable, individual purchase possible!
- Only wedi drainage systems for Fundo can be installed with Fundo floor elements.




### Fundo Borgo, floor element:


- 900 x 900 mm: approx. 0.80 m<sup>2</sup>
- 1000 x 1000 mm: approx. 1.00 m<sup>2</sup>

### Technical drawings


Fundo Borgo 900 x 900 mm



Fundo Borgo 1000 x 1000 mm



## wedi Fundo *Trolley* | floor element, central drain



### Description

wedi Fundo Trolley, floor element

### External diameter x Thickness

Ø 1140 x 40 mm

Please note:  
Matching drain.  
Order now!

### Order no.

07-37-36/575



- One packing unit = 10 pieces; all Fundo floor elements combinable, individual purchase possible!
- Only wedi drainage systems for Fundo can be installed with Fundo floor elements.



### Fundo Trolley, floor element:

approx. 0.80 m<sup>2</sup>

## Fundo floor elements with spot drainage / wall elements

### wedi Fundo Trollo | wall element



Fundo Trollo, wall element



Extension collar



Fundo Trollo, wall element  
with glass swinging door

Description	Height	Packing unit	Order no.
wedi Fundo Trollo, wall element	2015 mm	1 unit	04-17-09/002

Options			
Extension collar (incl. 1 cartridge of wedi 610)	500 mm	1 unit	04-17-09/052
Glass swing door	1990 mm	1 unit	60-80-01/100
Glass sliding door	1900 mm	1 unit	60-80-01/200

• The glass door can only be mounted after tiling.

wedi Fundo Trollo, wall element:

- 2 wall segments type A
- 3 wall segments type B
- 5 springs
- 1 x 25 m self adhesive joint reinforcement tape
- 3 x wedi 610, adhesive sealant

Fundo Trollo, wall element:


- Inside wall: approx. 5.30 m<sup>2</sup>
- Outside wall: approx. 6.00 m<sup>2</sup>

**Extension collar:**



- Inside wall: approx. 1.60 m<sup>2</sup>
- Outside wall: approx. 1.80 m<sup>2</sup>

**Technical drawing**

Fundo Trollo, wall element



Fundo Trollo, Extension collar



# wedi Fundo *Tollo libero* | wall element



Description	Height	Packing unit	Order no.
wedi Fundo Tollo <i>libero</i> , wall element	2040 mm	1 unit	04-17-09/003

## ⊕ Options

Extension collar (incl. 1 cartridge of wedi 610)	500 mm	1 unit	04-17-09/053
Glass swing door	1990 mm	1 unit	60-80-01/100
Glass sliding door	1900 mm	1 unit	60-80-01/200

- ! • The Fundo Tollo *libero* can be positioned anywhere in the room.

- The glass door can only be mounted after tiling.

## ⊕ wedi Fundo Tollo *libero*, wall element:

- 2 wall segments type A
- 1 wall segment type B
- 1 wall segment type E  
(with reinforcement for fittings and shower head)
- 1 wall segment type F  
(with reinforcement for installing the shower rail)
- 1 wall segment type G
- 1 inspection board (BA 40)
- 5 springs
- 1 x 25 m self adhesive joint reinforcement tape
- 4 x wedi 610, adhesive sealant

⊕ 2 x labour

## m<sup>2</sup> Fundo Tollo *libero*, wall element:


- Inside wall: approx. 5.30 m<sup>2</sup>
- Outside wall: approx. 6.10 m<sup>2</sup>

## Extension collar:


- Inside wall: approx. 1.60 m<sup>2</sup>
- Outside wall: approx. 1.80 m<sup>2</sup>

## Technical drawing

Fundo Tollo *libero*, designer shower




Fundo Tollo *libero*, Extension collar



## Fundo floor elements with spot drainage / wall elements

### wedi Fundo *Nautilo* | floor element, right entry



Description	Length x Width x Thickness	Packing unit/Pallet	Order no.
wedi Fundo Nautilo, floor element, right entry	1890 x 1515 x 50 mm	10 units	07-37-36/066




- One packing unit = 10 pieces; all Fundo floor elements combinable, individual purchase possible!
- Only wedi drainage systems for Fundo can be installed with Fundo floor elements.




Fundo Nautilo, floor element:  
approx. 1.60 m<sup>2</sup>

#### Technical drawings



Please note:  
Matching drain.  
Order now!

### wedi Fundo *Nautilo* | floor element, left entry



Description	Length x Width x Thickness	Packing unit/Pallet	Order no.
wedi Fundo Nautilo, floor element, left entry	1890 x 1515 x 50 mm	10 units	07-37-36/065




- One packing unit = 10 pieces; all Fundo floor elements combinable, individual purchase possible!
- Only wedi drainage systems for Fundo can be installed with Fundo floor elements.



Fundo Nautilo, floor element:  
approx. 1.60 m<sup>2</sup>


#### Technical drawings



## wedi Fundo Nautilo | wall element



Fundo Nautilo, wall element





Extension collar

Description	Height	Packing unit	Order no.
wedi Fundo Nautilo, wall element	2015 mm	1 unit	04-17-08/000

Option	500 mm	1 unit	04-17-08/052
--------	--------	--------	--------------

• The Fundo Nautilo wall element can be installed for right or left entry.	Fundo Nautilo, wall element:
wedi Fundo Nautilo, wall element:	<ul style="list-style-type: none"> <li>• Inside wall: approx. 8.70 m<sup>2</sup></li> <li>• Outside wall: approx. 9.60 m<sup>2</sup></li> </ul>
	Extension collar:
	<ul style="list-style-type: none"> <li>• Inside wall: approx. 2.15 m<sup>2</sup></li> <li>• Outside wall: approx. 2.40 m<sup>2</sup></li> </ul>

Technical drawing	Fundo Nautilo, wall element	Fundo Nautilo, Extension collar
-------------------	-----------------------------	---------------------------------



## Fundo floor elements with spot drainage / wall elements

### wedi Fundo Nautilo *libero* | wall element




Description	Height	Packing unit	Order no.
wedi Fundo Nautilo <i>libero</i> , wall element	2050 mm	1 unit	04-17-08/002

	Option	Extension collar (incl. 1 cartridge of wedi 610) 500 mm	1 unit	04-17-08/053
--	--------	---	--------	--------------


	<ul style="list-style-type: none"> <li>The Fundo Nautilo <i>libero</i> can be positioned anywhere in the room.</li> <li>The Fundo Nautilo wall element can be installed for right or left entry.</li> </ul>		2 x labour
	<b>wedi Fundo Nautilo <i>libero</i>, wall element:</b> <ul style="list-style-type: none"> <li>1 wall segment type B</li> <li>4 wall segments type C</li> <li>1 wall segment type D</li> <li>1 wall segment type E</li> <li>(with reinforcement for fittings and shower head)</li> <li>1 wall segment type F</li> <li>(with reinforcement for installing the shower rail)</li> <li>1 wall segment type G</li> <li>1 inspection board (BA 40)</li> <li>8 springs</li> <li>2 x 25 m self-adhesive sealing tape</li> <li>5 x wedi 610 adhesive sealant</li> </ul>		<b>Fundo Nautilo <i>libero</i>, wall element:</b> <ul style="list-style-type: none"> <li>Inside wall: approx. 8.70 m<sup>2</sup></li> <li>Outside wall: approx. 9.70 m<sup>2</sup></li> </ul> <b>Extension collar:</b> <ul style="list-style-type: none"> <li>Inside wall: approx. 2.20 m<sup>2</sup></li> <li>Outside wall: approx. 2.50 m<sup>2</sup></li> </ul>

#### Technical drawing

Fundo Nautilo *libero*, designer shower



Fundo Nautilo *libero*, Extension collar




## Drains for Fundo floor elements

**NEW** wedi Fundo vertical drain | DN 50, square




Description	Packing unit	Order no.
wedi Fundo vertical drain, DN 50, square	1 unit	07-70-00/033
<p><b>!</b> • Absorption capacity: 1.00 Litre/Second • Minimum installation depth: 40 mm</p> <p><b>i</b> • The Fundo vertical drain is an authorised floor drain with a general building authority-approved test certificate. • This drain matches the following Fundo floor elements:            • wedi Fundo Primo                          • wedi Fundo Trollo            • wedi Fundo Borgo                          • wedi Fundo Nautilo            • wedi Fundo Ligno         </p>	 • 1 drain cover vertical, DN 50 • 1 shower insert • 1 syphon • 1 extension collar • 1 main sealing collar • 1 shower tray screw-type valve • 1 cap tool • 1 plastic frame, 120 x 120 mm • 1 drain cover stainless steel grate, 115 x 115 mm • 1 O-Ring	

### Technical drawings




**NEW** wedi Fundo vertical drain | DN 50, round




Description	Packing unit	Order no.
wedi Fundo vertical drain, DN 50, round	1 unit	07-70-00/035
<p><b>!</b> • Absorption capacity: 1.00 Litre/Second        • Minimum installation depth: 40 mm        • The extension collar simultaneously serves as a grate support.        A special plastic frame is not required.</p>	<p><b>!</b> • 1 drain cover vertical, DN 50        • 1 extension collar        • 1 cap tool        • 1 shower insert        • 1 shower tray screw-type valve        • 1 drain cover stainless steel grate,        Ø 115 mm, round        • 1 syphon        • 1 main sealing collar        • 1 O-Ring</p>	
<p><b>i</b> • The Fundo vertical drain is an authorised floor drain with a general building authority-approved test certificate.        • This drain matches the following Fundo floor elements:        • wedi Fundo Primo                      • wedi Fundo Trollo        • wedi Fundo Borgo                      • wedi Fundo Nautilo        • wedi Fundo Ligno</p>		
<h3>Technical drawings</h3>  <p>The technical drawing shows a cross-section of a floor slab. A vertical drain pipe is embedded in the slab. Labels indicate the 'Fundo sealing set' at the top, 'Mortar' around the pipe, and 'Fundo floor element' below it. At the bottom, labels show 'Connection to the screed', 'Mortar or cement-bound ballast', and a dimension of '40' indicating the minimum installation depth. A small '050' is also visible at the bottom left.</p>		

## Drains for Fundo floor elements

### wedi Fundo vertical drain | DN 50 with fire protection collar

Description	Packing unit	Order no.
wedi Fundo vertical drain, DN 50, with fire protection collar	1 unit	07-37-49/002
<p><b>!</b> • Absorption capacity: 1.00 Litre/Second • Minimum installation depth: 40 mm</p>		
<p><b>i</b> • The Fundo vertical drain is an authorised floor drain with a general building authority-approved test certificate. • This drain matches the following Fundo floor elements:            • wedi Fundo Primo                            • wedi Fundo Trollo            • wedi Fundo Borgo                            • wedi Fundo Nautilo         </p>		
<p><b>w</b> • 1 drain cover vertical, DN 50            • 1 fire-proofing            • 1 fire-proofing-cap tool            • 1 cap tool            • 1 shower tray screw-type valve            • 1 main sealing collar            • 1 siphon            • 1 shower insert            • 1 extension collar            • 1 plastic frame, 120 x 120 mm            • 1 drain cover stainless steel grate, 115 x 115 mm            • 1 O-Ring         </p>		
<p><b>Technical drawings</b></p> 		

### **NEW** wedi Fundo vertical drain | DN 70

Description	Packing unit	Order no.
wedi Fundo vertical drain, DN 70	1 unit	07-70-00/010
<p><b>!</b> • Absorption capacity: 0.88 Litre/Second • Minimum installation depth: 40 mm</p>		
<p><b>i</b> • The Fundo vertical drain is an authorised floor drain with a general building authority-approved test certificate. • This drain matches the following Fundo floor elements:            • wedi Fundo Primo                            • wedi Fundo Trollo            • wedi Fundo Borgo                            • wedi Fundo Nautilo            • wedi Fundo Ligno         </p>		
<p><b>w</b> • 1 drain cover vertical, DN 70            • 1 Extension collar            • 1 cap tool            • 1 shower insert            • 1 shower tray screw-type valve            • 1 plastic frame, 120 x 120 mm            • 1 siphon            • 1 main sealing collar            • 1 drain cover stainless steel grate, 115 x 115 mm            • 1 O-Ring         </p>		
<p><b>Technical drawings</b></p> 		

**NEW** wedi Fundo horizontal drain | DN 50, square



Description	Packing unit	Order no.
wedi Fundo horizontal drain, DN 50, square	1 unit	07-70-00/034
<b>!</b> • Absorption capacity: 0.80 Litre/Second • Minimum installation depth: 130 mm		
<b>i</b> • The Fundo horizontal drain is an authorised floor drain with a general building authority-approved test certificate. • This drain matches the following Fundo floor elements: • wedi Fundo Primo • wedi Fundo Borgo • wedi Fundo Ligno • wedi Fundo Trollo • wedi Fundo Nautilo	<b>!</b> • 1 drain cover horizontal, DN 50 • 1 extension collar • 1 main sealing collar • 1 shower insert • 1 cap tool • 1 shower tray screw-type valve • 1 siphon • 1 plastic frame, 120 x 120 mm • 1 drain cover stainless steel grate, 115 x 115 mm • 1 O-Ring	
<b>Technical drawings</b>		
<p>Connection to the screed</p>		

**NEW** wedi Fundo horizontal drain | DN 50, round



Description	Packing unit	Order no.						
wedi Fundo horizontal drain, DN 50, round	1 unit	07-70-00/036						
<p><b>!</b> • Absorption capacity: 0.80 Litre/Second            • Minimum installation depth: 130 mm            • The extension collar simultaneously serves as a grate support.            A special plastic frame is not required.</p>	<p><b>!</b> • 1 drain cover waagerecht, DN 50            • 1 shower insert            • 1 syphon            • 1 cap tool            • 1 shower tray screw-type valve            • 1 extension collar            • 1 main sealing collar            • 1 drain cover stainless steel grate,  <math>\varnothing</math> 115 mm, round            • 1 O-Ring</p>							
<p><b>i</b> • The Fundo horizontal drain is an authorised floor drain with a general building authority-approved test certificate.            • This drain matches the following Fundo floor elements:</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">• wedi Fundo Primo</td> <td style="width: 50%;">• wedi Fundo Trollo</td> </tr> <tr> <td>• wedi Fundo Borgo</td> <td>• wedi Fundo Nautilo</td> </tr> <tr> <td>• wedi Fundo Ligno</td> <td></td> </tr> </table>			• wedi Fundo Primo	• wedi Fundo Trollo	• wedi Fundo Borgo	• wedi Fundo Nautilo	• wedi Fundo Ligno	
• wedi Fundo Primo	• wedi Fundo Trollo							
• wedi Fundo Borgo	• wedi Fundo Nautilo							
• wedi Fundo Ligno								
<h4>Technical drawings</h4> <p>Connection to the screed</p>								

## Drains for Fundo floor elements

**NEW** wedi Fundo drain *Mini Max* | DN 40, extra flat




Description	Packing unit	Order no.
wedi Fundo drain Mini Max, DN 40, extra flat	1 unit	07-70-00/015

- ! • Absorption capacity: 0,50 Litre/Second
  - Minimum installation depth: 97 mm
  - Cannot be combined with Fundo Primo Easy Sets!  
  - i • The Fundo Mini Max drain is an authorised floor drain with a general building authority-approved test certificate.
  - This drain is suitable for the following Fundo floor elements:
    - wedi Fundo Primo
    - wedi Fundo Borgo
    - wedi Fundo Ligno
    - wedi Fundo Trollo
    - wedi Fundo Nautilo

- 1 drain cover, extra flat, DN 40
  - 1 siphon
  - 1 shower insert
  - 1 main sealing collar
  - 1 shower tray screw-type valve
  - 1 extension collar
  - 1 cap tool
  - 1 drain cover stainless steel grate,  
115 x 115 mm
  - 1 plastic frame, 120 x 120 mm
  - 1 O-Ring

## Technical drawings





## Drain grates for Fundo floor elements

### **NEW** wedi Fundo Fino 1.1 | drain grid, stainless steel

Description	Length x Width x Height	Packing unit	Order no.
wedi Fundo Fino 1.1, drain grid, corner, stainless steel	115 x 115 x 5 mm	1 unit	67-68-00/033
 • 1 drain grid, stainless steel			

### **NEW** wedi Fundo Fino 1.3 | drain grid, stainless steel, screw in

Description	Length x Width x Height	Packing unit	Order no.
wedi Fundo Fino 1.3, drain grid, corner, stainless steel, screw in, incl. stainless steel frames	115 x 115 x 5 mm	1 unit	67-68-00/035
 • For this drain grid, the height of your tiling must be at least 8,5 mm.  • 1 drain grid, stainless steel, screw in • 1 frame, stainless steel			

### **NEW** wedi Fundo Fino 2.1 | drain grid, stainless steel

Description	Length x Width x Height	Packing unit	Order no.
wedi Fundo Fino 2.1, drain grid, corner, stainless steel	115 x 115 x 5 mm	1 unit	67-68-00/037
 • 1 drain grid, stainless steel			

### **NEW** wedi Fundo Fino 2.3 | drain grid, stainless steel, screw in

Description	Length x Width x Height	Packing unit	Order no.
wedi Fundo Fino 2.3, drain grid, corner, stainless steel, screw in, incl. stainless steel frames	115 x 115 x 5 mm	1 unit	67-68-00/039
 • For this drain grid, the height of your tiling must be at least 8,5 mm.  • 1 drain grid, stainless steel, screw in • 1 frame, stainless steel			

**NEW wedi Fundo *Fino* 3.1 | drain grid, stainless steel**



Description	Length x Width x Height	Packing unit	Order no.
wedi Fundo Fino 3.1, drain grid, corner, stainless steel	115 x 115 x 5 mm	1 unit	67-68-00/040

- 1 drain grid, stainless steel

**NEW wedi Fundo *Fino* 3.3 | drain grid, stainless steel, screw in**



Description	Length x Width x Height	Packing unit	Order no.
wedi Fundo Fino 3.3, drain grid, corner, stainless steel, screw in, incl. stainless steel frames	115 x 115 x 5 mm	1 unit	67-68-00/042

- ! • For this drain grid, the height of your tiling must be at least 8,5 mm.
- 1 drain grid, stainless steel, screw in
- 1 frame, stainless steel

**NEW wedi Fundo *Fino* 4.1 | drain grid, solid stainless steel**

Manufactured in  
solid stainless steel



Description	Length x Width x Height	Packing unit	Order no.
wedi Fundo Fino 4.1, drain grid, corner, solid stainless steel	115 x 115 x 5 mm	1 unit	67-68-00/043

- 1 drain grid, stainless steel

**NEW wedi Fundo *Fino* 5.1 | drain grid, solid stainless steel**

Manufactured in  
solid stainless steel



Description	Length x Width x Height	Packing unit	Order no.
wedi Fundo Fino 5.1, drain grid, corner, solid stainless steel	115 x 115 x 5 mm	1 unit	67-68-00/046

- 1 drain grid, stainless steel

## Drain grates for Fundo floor elements

**NEW wedi Fundo Fino 1.2 |**  
drain grid, stainless steel, round

Description	Diameter x H	Packing unit	Order no.
wedi Fundo Fino 1.2, drain grid, stainless steel, round	Ø 115 x 5 mm	1 unit	67-68-00/034
 • 1 drain grid, stainless steel, round			

**NEW wedi Fundo Fino 2.2 |**  
drain grid, stainless steel, round

Description	Diameter x H	Packing unit	Order no.
wedi Fundo Fino 2.2, drain grid, stainless steel, round	Ø 115 x 5 mm	1 unit	67-68-00/038
 • 1 drain grid, stainless steel, round			

**NEW wedi Fundo Fino 3.2 |**  
drain grid, stainless steel, round Manufactured in  
solid stainless steel

Description	Diameter x H	Packing unit	Order no.
wedi Fundo Fino 3.2, drain grid, stainless steel, round	Ø 115 x 5 mm	1 unit	67-68-00/041
 • 1 drain grid, stainless steel, round			

**NEW wedi Fundo Fino 4.2 |**  
drain grid, stainless steel, round

Description	Diameter x H	Packing unit	Order no.
wedi Fundo Fino 4.2, drain grid, stainless steel, round	Ø 115 x 5 mm	1 unit	67-68-00/044
 • 1 drain grid, stainless steel, round			

## **NEW** wedi Fundo *Fino* | frame, stainless steel



Description	Length x Width x Height	Packing unit	Order no.
wedi Fundo Fino, frame, stainless steel	120 x 120 x 10 mm	1 unit	07-71-00/003
<ul style="list-style-type: none"> <li><span style="color: red;">!</span> • For this frame, the height of your tiling must be at least 8,5 mm.</li> <li>• Suitable for any square Fundo Fino drain grate</li> </ul>			
<span style="color: green;">!</span> • 1 frame, stainless steel			

## **NEW** wedi Fundo *Fino* | frame, stainless steel, extra flat



Description	Length x Width x Height	Packing unit	Order no.
wedi Fundo Fino, frame, stainless steel, extra flat	120 x 120 x 6,2 mm	1 unit	07-71-00/004
<ul style="list-style-type: none"> <li><span style="color: red;">!</span> • For this frame, the height of your tiling must be at least 6,2 mm.</li> <li>• Suitable for any square Fundo Fino drain grate</li> </ul>			
<span style="color: green;">!</span> • 1 frame, stainless steel, extra flat			

## **NEW** wedi Fundo *Fino* | frame, stainless steel, round



Description	Diameter x Height	Packing unit	Order no.
wedi Fundo Fino, frame, stainless steel, round	Ø 120 x 9 mm	1 unit	07-71-00/001
<ul style="list-style-type: none"> <li><span style="color: red;">!</span> • For this frame, the height of your tiling must be at least 8,5 mm.</li> <li>• Suitable for any round Fundo Fino drain grate</li> </ul>			
<span style="color: green;">!</span> • 1 frame, stainless steel, round			

## **NEW** wedi Fundo *Fino* | frame, stainless steel, round, extra flat



Description	Diameter x Height	Packing unit	Order no.
wedi Fundo Fino, frame, stainless steel, round, extra flat	Ø 120 x 2 mm	1 unit	07-71-00/002
<ul style="list-style-type: none"> <li><span style="color: red;">!</span> • For this frame, the height of your tiling must be at least 2 mm.</li> <li>• Frame can be raised with mortar up to 5 mm.</li> <li>• Suitable for any round Fundo Fino drain grate</li> </ul>			
<span style="color: green;">!</span> • 1 frame, stainless steel, round, extra flat			

## Assembly materials / accessories for Fundo floor elements


### wedi Fundo sealing set



Description	Packing unit	Order no.
wedi Fundo sealing set	1 bucket	07-37-96/000

-  • A Fundo sealing set is sufficient for installing a Fundo floor element including the respective wall elements.
-  • 2.4 kg powder component
  - 1.2 kg liquid component
  - 10 m sealing tape
  - 2 inside corners

### wedi Fundo Primo Easy Set | square, central drain




Description	Length x Width x Height	Packing unit/Pallet	Order no.
wedi Fundo Primo Easy Set, square, central drain	900 x 900 x 100 mm	24 units	07-37-23/000
wedi Fundo Primo Easy Set, square, central drain	1000 x 1000 x 100 mm	25 units	07-37-24/131
wedi Fundo Primo Easy Set, square, central drain	1200 x 1200 x 100 mm	25 units	07-37-24/000
wedi Fundo Primo Easy Set, square, central drain	1500 x 1500 x 100 mm	35 units	07-37-24/175


-  • Fundo Primo Easy Set is also supplied as a construction kit.
- It must be glued using wedi 610 adhesive sealant.

-  • 1 wedi Fundo Primo Easy Set,  
quick installation of base element

#### Technical drawings



## wedi Fundo Primo Easy Set | rectangular, central drain




Description	Length x Width x Height	Packing unit/Pallet	Order no.
wedi Fundo Primo Easy Set, rectangular, central drain	1200 x 900 x 100 mm	24 units	07-37-24/174
wedi Fundo Primo Easy Set, rectangular, central drain	1800 x 900 x 100 mm	24 units	07-37-23/580


- !** • Fundo Primo Easy Set is also supplied as a construction kit.  
• It must be glued using wedi 610 adhesive sealant.

- 1 wedi Fundo Primo Easy Set,  
quick installation of base element

### Technical drawings



## wedi Fundo Primo Easy Set | rectangular, offset drain




Description	Length x Width x Height	Packing unit/Pallet	Order no.
wedi Fundo Primo Easy Set, rectangular, offset drain	1800 x 900 x 100 mm	24 units	07-37-23/180

- !** • Fundo Primo Easy Set is also supplied as a construction kit.  
• It must be glued using wedi 610 adhesive sealant.

- 1 wedi Fundo Primo Easy Set,  
quick installation of base element

### Technical drawings



## Assembly materials / accessories for Fundo floor elements

### wedi 610 | adhesive sealant

	Description	Contents	Packing unit	Packing unit/ box	Order no.
	wedi 610, adhesive sealant	310 ml	1 Cartridge	20 units	07-69-02/002
<b>i</b> • Consumption: 8 – 10 m per cartridge					

### wedi Tools | joint reinforcement tape

	Description	Roll length x Width	Packing unit/ box	Order no.
	wedi Tools, joint reinforcement tape 125 mm	25 m x 125 mm	1 roll	09-52-20/053
	wedi Tools, joint reinforcement tape 600 mm	50 m x 600 mm	1 roll	09-52-10/052

### wedi Tools | joint reinforcement tape, self-adhesive


	Description	Roll length x Width	Packing unit/ box	Order no.
	wedi Tools, joint reinforcement tape, self-adhesive 125 mm	25 m x 125 mm	1 roll	09-52-25/053
	wedi Tools, joint reinforcement tape, self-adhesive 600 mm	50 m x 600 mm	1 roll	09-52-15/052

## wedi Tools | sealing tape, fleece laminated



Description	Roll length x Width	Packing unit/ box	Order no.
wedi Tools, sealing tape, fleece laminated	50 m x 100 mm	1 roll	09-51-00/352
wedi Tools, sealing tape, fleece laminated	10 m x 120 mm	1 roll	09-51-10/311
wedi Tools, sealing tape, fleece laminated	50 m x 120 mm	1 roll	09-51-10/352

## wedi Tools | inside corners, fleece laminated




Description	Length of side piece	Packing unit/ box	Order no.
wedi Tools, inside corners, fleece laminated	120 x 120 mm	25 units	09-51-30/001

## wedi Tools | outside corners, fleece laminated



Description	Length of side piece	Packing unit/ box	Order no.
wedi Tools, outside corners, fleece laminated	115 x 115 mm	25 units	09-51-35/001

## wedi Tools | sealing garter



Description	Dimensions	Packing unit	Order no.
wedi Tools, sealing garter, fleece-laminated, extendable (suitable for 1/2" to 3/4" feed-throughs)	120 x 120 mm	10 units	09-51-20/050

## Fundo floor elements with channel drain

### wedi Fundo *Plano Linea* | complete system incl. integrated drain technology

Description	DN	Length x Width x Height	Channel length	Order no.
wedi Fundo Plano Linea, floor element with channel and fully integrated drain technology, rectangular	40	1200 x 800 x 70 mm	700 mm ①	07-37-36/600
wedi Fundo Plano Linea, floor element with channel and fully integrated drain technology, rectangular	40	1200 x 900 x 70 mm	800 mm ②	07-37-36/601
wedi Fundo Plano Linea, floor element with short channel and fully integrated drain technology, rectangular	40	1200 x 900 x 70 mm	300 mm	07-37-36/607
wedi Fundo Plano Linea, floor element with channel and fully integrated drain technology, rectangular	40	1200 x 1000 x 70 mm	900 mm ③	07-37-36/602
wedi Fundo Plano Linea, floor element with channel and fully integrated drain technology, square	40	900 x 900 x 70 mm	800 mm ②	07-37-36/603
wedi Fundo Plano Linea, floor element with short channel and fully integrated drain technology, square	40	900 x 900 x 70 mm	300 mm	07-37-36/608

 • One packing unit = 10 pieces; all Fundo floor elements combinable, individual purchase possible!

- The horizontal drain DN 40 is firmly integrated in the floor element.
- Drain capacity: 24 l / min.
- The figures ①, ② and ③ mark the matching combinations with Fundo Riolito Discreto.


 • A height adjustable cover in V<sub>2</sub>A brushed stainless steel and a sealing lip (1000 x 450 mm) are included in the scope of delivery with all Fundo Plano Linea floor elements.

 Fundo Plano Linea, floor element:


- 900 x 900 mm: approx. 0.81 m<sup>2</sup>
- 1200 x 800 mm: approx. 0.96 m<sup>2</sup>
- 1200 x 900 mm: approx. 1.08 m<sup>2</sup>
- 1200 x 1000 mm: approx. 1.20 m<sup>2</sup>

#### Technical drawing

Fundo Plano Linea, floor element, 1200 x 800 mm





Fundo Plano Linea, floor element, short channel, 1200 x 900 mm



**NEW wedi Fundo Riolito<sup>neo</sup>**

floor element with channel drain, square

Please note:  
Matching drain, and drain cover.  
Order now!



Fundo Riolito<sup>neo</sup> channel covers

Description

wedi Fundo Riolito<sup>neo</sup>,  
floor element with channel drain, square

wedi Fundo Riolito<sup>neo</sup>,  
floor element with channel drain, square

wedi Fundo Riolito<sup>neo</sup>,  
floor element with channel drain, square

wedi Fundo Riolito<sup>neo</sup>,  
floor element with short channel drain, square

Length x Width x Height Channel length Order no.

900 x 900 x 50 mm 800 mm ② 07-51-00/003

1000 x 1000 x 50 mm 800 mm ② 07-51-00/032

1200 x 1200 x 50 mm 1100 mm 07-51-00/010

900 x 900 x 50 mm 300 mm 07-51-00/031

- !** • One packing unit = 10 pieces; all Fundo floor elements combinable, individual purchase possible!
- Cannot be combined with Fundo Primo Easy Sets!
- Only wedi drainage systems for Fundo Riolito<sup>neo</sup> can be installed with Fundo Riolito<sup>neo</sup>.
- You can order the Fundo Riolito Discreto ramping element for an optical wall drain as an optional feature.
- The figures ①, ② and ③ mark the matching combinations with Fundo Riolito Discreto.


- 1 Fundo Riolito<sup>neo</sup> floor element

**m<sup>2</sup>** Fundo Riolito<sup>neo</sup>, floor element:


- 900 x 900 mm: approx. 0.80 m<sup>2</sup>
- 1000 x 1000 mm: approx. 1.00 m<sup>2</sup>
- 1200 x 1200 mm: approx. 1.44 m<sup>2</sup>

Technical drawing

Fundo Riolito<sup>neo</sup>, square, 900 x 900 mm



Fundo Riolito<sup>neo</sup>, square, short channel, 900 x 900 mm



## Fundo floor elements with channel drain

**NEW wedi Fundo Riolito<sup>neo</sup>**

Please note:  
Matching drain and drain cover.  
Order now!

### floor element with channel drain, rectangular



Description	Length x Width x Height	Channel length	Order no.
wedi Fundo Riolito <sup>neo</sup> , floor element with channel drain, rectangular	1200 x 800 x 50 mm	700 mm ①	07-51-00/001
wedi Fundo Riolito <sup>neo</sup> , floor element with channel drain, rectangular	1400 x 900 x 50 mm	700 mm ①	07-51-00/033
wedi Fundo Riolito <sup>neo</sup> , floor element with channel drain, rectangular	1200 x 900 x 50 mm	800 mm ②	07-51-00/004
wedi Fundo Riolito <sup>neo</sup> , floor element with channel drain, rectangular	1800 x 900 x 60 mm	800 mm ②	07-51-00/005
wedi Fundo Riolito <sup>neo</sup> , floor element with channel drain, rectangular	1600 x 1000 x 50 mm	800 mm ②	07-51-00/034
wedi Fundo Riolito <sup>neo</sup> , floor element with channel drain, rectangular	1200 x 1000 x 50 mm	900 mm ③	07-51-00/008



- One packing unit = 10 pieces; all Fundo floor elements combinable, individual purchase possible!
- Cannot be combined with Fundo Primo Easy Sets!
- Only wedi drainage systems for Fundo Riolito<sup>neo</sup> can be installed with Fundo Riolito<sup>neo</sup>.
- You can order the Fundo Riolito Discreto ramping element for an optical wall drain as an optional feature.
- The figures ①, ② and ③ mark the matching combinations with Fundo Riolito Discreto.



- 1 Fundo Riolito<sup>neo</sup> floor element




- Fundo Riolito<sup>neo</sup>, floor element:


- 1200 x 800 mm: approx. 1.00 m<sup>2</sup>
- 1200 x 900 mm: approx. 1.10 m<sup>2</sup>
- 1400 x 900 mm: approx. 1.26 m<sup>2</sup>
- 1800 x 900 mm: approx. 1.62 m<sup>2</sup>
- 1200 x 1000 mm: approx. 1.20 m<sup>2</sup>
- 1600 x 1000 mm: approx. 1.60 m<sup>2</sup>

#### Technical drawing

Fundo Riolito<sup>neo</sup>, rectangular, 1200 x 900 x 50 mm




Fundo Riolito<sup>neo</sup>, rectangular, 1800 x 900 x 60 mm



# wedi Fundo *Riolito* | floor element with channel drain, square

Please note:  
Matching drain and drain cover.  
Order now!



Fundo Riolito channel covers



## Description

- wedi Fundo Riolito, floor element with laterally integrated channel drain, square
- NEW** wedi Fundo Riolito, floor element with laterally integrated channel drain, square
- wedi Fundo Riolito, floor element with laterally integrated channel drain, square
- NEW** wedi Fundo Riolito, floor element with short laterally integrated channel drain, square

Length x Width x Height Channel length Order no.

900 x 900 x 50 mm	800 mm ②	07-37-34/354
1000 x 1000 x 50 mm	800 mm ②	07-37-34/360
1200 x 1200 x 50 mm	1100 mm	07-37-34/355
900 x 900 x 50 mm	300 mm	07-37-34/359


- !** • One packing unit = 10 pieces; all Fundo floor elements combinable, individual purchase possible!  
 • The Riolito standard cover includes a set of screws which are 19 mm long. The covers Riolito exclusive and Riolito tileable each contain a 15 mm long screw set.  
 • Cannot be combined with Fundo Primo Easy Sets!  
 • Only wedi drainage systems for Fundo Riolito can be installed with Fundo floor elements.  
 • You can order the Fundo Riolito Discreto ramping element for an optical wall drain as an optional feature.  
 • The figures ①, ② and ③ mark the matching combinations with Fundo Riolito Discreto.  
 • The drain systems for Fundo Riolito<sup>neo</sup> are not usable here.

- 1 Fundo Riolito floor element  
 • 3 frame clamping pieces

## m<sup>2</sup> Fundo Riolito, floor element:

- 900 x 900 mm: approx. 0.80 m<sup>2</sup>
- 1000 x 1000 mm: approx. 1.00 m<sup>2</sup>
- 1200 x 1200 mm: approx. 1.44 m<sup>2</sup>

## Technical drawings



## Fundo floor elements with channel drain

### wedi Fundo *Riolito* | floor element with channel drain, rectangular

Please note:  
Matching drain and drain cover.  
Order now!



Fundo Riolito Ablaufabdeckungen

Description	Length x Width x Height	Channel length	Order no.
wedi Fundo Riolito, floor element with laterally integrated channel drain, rectangular	1200 x 800 x 50 mm	700 mm ①	07-37-34/351
<b>NEW</b> wedi Fundo Riolito, floor element with laterally integrated channel drain, rectangular	1400 x 900 x 50 mm	700 mm ①	07-37-34/361
wedi Fundo Riolito, floor element with laterally integrated channel drain, rectangular	1200 x 900 x 50 mm	800 mm ②	07-37-34/356
wedi Fundo Riolito, floor element with laterally integrated channel drain, rectangular	1800 x 900 x 60 mm	800 mm ②	07-37-34/358
<b>NEW</b> wedi Fundo Riolito, floor element with laterally integrated channel drain, rectangular	1600 x 1000 x 50 mm	800 mm ②	07-37-34/362
wedi Fundo Riolito, floor element with laterally integrated channel drain, rectangular	1200 x 1000 x 50 mm	900 mm ③	07-37-34/352



- One packing unit = 10 pieces; all Fundo floor elements combinable, individual purchase possible!
- The Riolito standard cover includes a set of screws which are 19 mm long. The covers Riolito exclusive and Riolito tileable each contain a 15 mm long screw set.
- Cannot be combined with Fundo Primo Easy Sets!
- Only wedi drainage systems for Fundo Riolito can be installed with Fundo floor elements.
- You can order the Fundo Riolito Discreto ramping element for an optical wall drain as an optional feature.
- The figures ①, ② and ③ mark the matching combinations with Fundo Riolito Discreto.
- The drain systems for Fundo Riolito<sup>neo</sup> are not usable here.




- 1 Fundo Riolito floor element
- 3 frame clamping pieces



Fundo Riolito, floor element:

- 1200 x 800 mm: approx. 1.00 m<sup>2</sup>
- 1200 x 900 mm: approx. 1.10 m<sup>2</sup>
- 1400 x 900 mm: approx. 1.26 m<sup>2</sup>
- 1800 x 900 mm: approx. 1.62 m<sup>2</sup>
- 1600 x 1000 mm: approx. 1.60 m<sup>2</sup>
- 1200 x 1000 mm: approx. 1.20 m<sup>2</sup>

#### Technical drawings



# wedi Fundo *Riofino* | floor element with channel drain, square

Please note:  
Matching drain and drain cover.  
Order now!



Fundo Riofino channel covers



Description	Length x Width x Height	Channel length	Order no.
wedi Fundo Riofino, floor element with central channel drain, square	900 x 900 x 50 mm	300 mm	07-37-34/170
wedi Fundo Riofino, floor element with central channel drain, square	1000 x 1000 x 50 mm	300 mm	07-37-34/131
wedi Fundo Riofino, floor element with central channel drain, square	1200 x 1200 x 50 mm	300 mm	07-37-34/171




- One packing unit = 10 pieces; all Fundo floor elements combinable, individual purchase possible!
- The Riofino standard cover includes a set of screws which are 19 mm long. The covers Riofino exclusive and Riofino tileable each contain a 15 mm long screw set.
- Cannot be combined with Fundo Primo Easy Sets!
- Only wedi drainage systems for Fundo Riofino can be installed with Fundo floor elements.
- The drain systems for Fundo Riolito<sup>neo</sup> are not usable here.

- 1 Fundo Riofino floor element
- 2 frame clamping pieces

Fundo Riofino, floor element:

- 900 x 900 mm: approx. 0.81 m<sup>2</sup>
- 1000 x 1000 mm: approx. 1.00 m<sup>2</sup>
- 1200 x 1200 mm: approx. 1.44 m<sup>2</sup>


## Technical drawings



## Fundo floor elements with channel drain

### wedi Fundo *Riofino* | floor element with channel drain, rectangular

Please note:  
Matching drain and drain cover.  
Order now!



Fundo Riofino channel covers

Description	Length x Width x Height	Channel length	Order no.
wedi Fundo Riofino, floor element with central channel drain, rectangular	1200 x 900 x 50 mm	300 mm	07-37-34/174
wedi Fundo Riofino, floor element with central channel drain, rectangular	1800 x 900 x 50 mm	300 mm	07-37-34/580



- One packing unit = 10 pieces; all Fundo floor elements combinable, individual purchase possible!
- The Riofino standard cover includes a set of screws which are 19 mm long. The covers Riofino exclusive and Riofino tileable each contain a 15 mm long screw set.
- Cannot be combined with Fundo Primo Easy Sets!
- Only wedi drainage systems for Fundo Riofino can be installed with Fundo floor elements.
- The drain systems for Fundo Riolito<sup>neo</sup> are not usable here.




- 1 Fundo Riofino floor element
- 2 frame clamping pieces



- Fundo Riofino, floor element:
  - 1200 x 900 mm: approx. 1.08 m<sup>2</sup>
  - 1800 x 900 mm: approx. 1.62 m<sup>2</sup>



#### Technical drawings







## Drains for Fundo floor elements with channel drain

### Drain system Fundo Riolito<sup>neo</sup>


Einsetzbar bei		wedi Fundo Riolito <sup>neo</sup> floor elements wedi Fundo Riolito <sup>neo</sup> Special floor elements wedi Fundo Riofino Special floor elements
Passende Abläufe		wedi Fundo Riolito <sup>neo</sup> , drain vertical, DN 50; 1,1 l/s; 66 l/min wedi Fundo Riolito <sup>neo</sup> , drain horizontal, DN 50; 0,8 l/s; 48 l/min wedi Fundo Riolito <sup>neo</sup> Mini Max, drain horizontal, DN 40, extra flat; 0,5 l/s; 30 l/min
Displays vertical drain		<p>Technical drawings</p>  <p>oval drain bowl for positioning close to the wall</p>  <p>Scope of delivery</p> 
Displays horizontal drain		<p>Technical drawings</p>  <p>oval drain bowl for positioning close to the wall</p>  <p>Scope of delivery</p> 

## Drain system Fundo Riolito


Einsetzbar bei	wedi Fundo Riolito floor elements wedi Fundo Riofino floor elements wedi Fundo Riolito Special floor elements wedi Fundo Riofino Special floor elements	
passende Abläufe	wedi Fundo Riolito / Riofino drain vertical, DN 50; 1,12 l/s ; 67,2 l/min wedi Fundo Riolito / Riofino, drain vertical, DN 50 with fire protection collar; 1,12 l/s ; 67,2 l/min wedi Fundo Riolito / Riofino drain horizontal, DN 50; 0,80 l/s ; 48,0 l/min wedi Fundo Riolito / Riofino Mini Max, drain horizontal, DN 40, extra flat; 0,40 l/s ; 24,0 l/min	
Displays vertical drain	<p>Technical drawings</p>  <p>circular drain bowl</p> 	<p>Scope of delivery</p> 
Displays horizontal drain	<p>Technical drawings</p>  <p>circular drain bowl</p> 	<p>Scope of delivery</p> 

## Drains for Fundo floor elements with channel drain

### **NEW** wedi Fundo drain *Riolito<sup>neo</sup>* | vertical, DN 50

Description	Packing unit	Order no.
wedi Fundo drain Riolito <sup>neo</sup> , vertical, DN 50	1 unit	07-70-00/037
<p><b>!</b> • Absorption capacity: 1,1 Litre/Second  • Minimum installation depth: 50 mm  • This drain is only suitable for Fund Riolito<sup>neo</sup> floor elements.</p>		
<p> • 1 drain cover vertical, DN 50  • 1 main sealing collar  • 1 siphon  • 4 fixing screws</p> <p> • 1 cap tool  • 1 shower insert  • 2 tile stop guides</p>		
<p><b>Technical drawings</b></p> 		

### **NEW** wedi Fundo drain *Riolito<sup>neo</sup>* | horizontal, DN 50

Description	Packing unit	Order no.
wedi Fundo drain Riolito <sup>neo</sup> , horizontal, DN 50	1 unit	07-70-00/038
<p><b>!</b> • Absorption capacity: 0,80 Litre/Second  • Minimum installation depth: 130 mm  • This drain is only suitable for Fund Riolito<sup>neo</sup> floor elements.</p>		
<p> • 1 drain cover waagerecht, DN 50  • 1 main sealing collar  • 1 siphon  • 4 fixing screws</p> <p> • 1 cap tool  • 1 shower insert  • 2 tile stop guides</p>		
<p><b>Technical drawings</b></p> 		

**NEW wedi Fundo drain Riolito<sup>neo</sup> Mini Max |**  
**DN 40, extra flat**



Description	Packing unit	Order no.
wedi Fundo drain Riolito <sup>neo</sup> Mini Max, DN 40, extra flat	1 unit	07-70-00/017
<p><b>!</b> • Absorption capacity: 0,5 Litre/Second  • Minimum installation depth: 97 mm  • This drain is only suitable for Fund Riolito<sup>neo</sup> floor elements.</p>		
<p><b>!</b> • 1 drain cover waagerecht, DN 40  • 1 cap tool  • 1 syphon  • 4 fixing screws</p> <p>• 1 main sealing collar  • 1 shower insert  • 2 tile stop guides</p>		
<p><b>Technical drawings</b></p>		

## Drains for Fundo floor elements with channel drain

### wedi Fundo drain *Riolito/Riofino* | vertical, DN 50




Description	Packing unit	Order no.
wedi Fundo drain Riolito / Riofino, vertical, DN 50	1 unit	07-37-89/011

**!** • Absorption capacity: 1,12 Litre/Second  
• Minimum installation depth: 50 mm  
• This drain is only suitable for the Fundo Riolito and Riofino floor elements.

-  • 1 drain cover vertical, DN 50  
• 1 main sealing collar  
• 1 siphon  
• 4 fixing screws
-  • 1 cap tool  
• 1 shower insert  
• 2 tile stop guides

#### Technical drawings



### wedi Fundo drain *Riolito/Riofino* | vertical, DN 50 with fire protection collar




Description	Packing unit	Order no.
wedi Fundo drain Riolito / Riofino, vertical, DN 50 with fire protection collar	1 unit	07-37-89/012

**!** • Absorption capacity: 1,12 Litre/Second  
• Minimum installation depth: 50 mm  
• This drain is only suitable for the Fundo Riolito and Riofino floor elements.

-  • 1 drain cover vertical, DN 50  
• 1 cap tool  
• 1 siphon  
• 2 tile stop guides
-  • 1 fire-proofing  
• 1 main sealing collar  
• 1 shower insert  
• 4 fixing screws

#### Technical drawings



## wedi Fundo drain *Riolito/Riofino* | horizontal, DN 50




Description	Packing unit	Order no.
wedi Fundo drain Riolito/Riofino, horizontal, DN 50	1 unit	07-37-90/003

- !** • Absorption capacity: 0,80 Litre/Second  
 • Minimum installation depth: 130 mm  
 • This drain is only suitable for the Fundo Riolito and Riofino floor elements.

- !** • 1 drain cover horizontal, DN 50  
 • 1 cap tool  
 • 1 syphon  
 • 4 fixing screws
- 1 main sealing collar  
 • 1 shower insert  
 • 2 tile stop guides

### Technical drawings



## wedi Fundo drain *Riolito/Riofino Mini Max* | DN 40, extra flat




Description	Packing unit	Order no.
wedi Fundo drain Riolito/Riofino Mini Max, DN 40, extra flat	1 unit	07-37-90/006

- !** • Absorption capacity: 0,40 Litre/Second  
 • Minimum installation depth: 97 mm  
 • This drain is only suitable for the Fundo Riolito and Riofino floor elements.

- !** • 1 drain cover horizontal, DN 40  
 • 1 cap tool  
 • 1 syphon  
 • 4 fixing screws
- 1 main sealing collar  
 • 1 shower insert  
 • 2 tile stop guides

### Technical drawings



## Channel covers for Fundo floor elements

### **NEW** wedi Fundo *Riolito<sup>neo</sup>*

#### Channel covers standard | stainless steel



Description	fits channel length	Packing unit	Order no.
wedi Fundo Riolito <sup>neo</sup> channel cover standard, stainless steel, brushed	300 mm	1 unit	67-68-00/010
wedi Fundo Riolito <sup>neo</sup> channel cover standard, stainless steel, brushed	700 mm	1 unit	67-68-00/009
wedi Fundo Riolito <sup>neo</sup> channel cover standard, stainless steel, brushed	800 mm	1 unit	67-68-00/008
wedi Fundo Riolito <sup>neo</sup> channel cover standard, stainless steel, brushed	900 mm	1 unit	67-68-00/007
wedi Fundo Riolito <sup>neo</sup> channel cover standard, stainless steel, brushed	1100 mm	1 unit	67-68-00/006

 • For installation heights of 5 to 23 mm.  
• The channel covers are also compatible for a Fundo Plano Linea.

 • 1 Fundo Riolito<sup>neo</sup> channel cover, stainless steel  
• 1 x screw set (2 pieces of 300 mm, 4 pieces of 700 mm and 800 mm, 6 pieces of 900 mm and 1100 mm)

### **NEW** wedi Fundo *Riolito<sup>neo</sup>*

#### Channel covers exclusive | solid stainless steel




Description	fits channel length	Packing unit	Order no.
wedi Fundo Riolito <sup>neo</sup> channel cover exclusive, solid stainless steel, brushed	300 mm	1 unit	67-68-00/001
wedi Fundo Riolito <sup>neo</sup> channel cover exclusive, solid stainless steel, brushed	700 mm	1 unit	67-68-00/002
wedi Fundo Riolito <sup>neo</sup> channel cover exclusive, solid stainless steel, brushed	800 mm	1 unit	67-68-00/003
wedi Fundo Riolito <sup>neo</sup> channel cover exclusive, solid stainless steel, brushed	900 mm	1 unit	67-68-00/004
wedi Fundo Riolito <sup>neo</sup> channel cover exclusive, solid stainless steel, brushed	1100 mm	1 unit	67-68-00/005

 • For installation heights of 5 to 25 mm.  
• The channel covers are also compatible for a Fundo Plano Linea.

 • 1 Fundo Riolito<sup>neo</sup> channel cover, solid stainless steel  
• 1 x screw set (2 pieces of 300 mm, 4 pieces of 700 mm and 800 mm, 6 pieces of 900 mm and 1100 mm)

**NEW** wedi Fundo *Riolito<sup>neo</sup>*

## Channel covers tileable | stainless steel



Description	fits channel length	Packing unit	Order no.
wedi Fundo Riolito <sup>neo</sup> channel cover tileable, stainless steel	300 mm	1 unit	67-68-00/011
wedi Fundo Riolito <sup>neo</sup> channel cover tileable, stainless steel	700 mm	1 unit	67-68-00/012
wedi Fundo Riolito <sup>neo</sup> channel cover tileable, stainless steel	800 mm	1 unit	67-68-00/013
wedi Fundo Riolito <sup>neo</sup> channel cover tileable, stainless steel	900 mm	1 unit	67-68-00/014
wedi Fundo Riolito <sup>neo</sup> channel cover tileable, stainless steel	1100 mm	1 unit	67-68-00/015



• For installation heights of 5 to 25 mm.



- 1 Fundo Riolito<sup>neo</sup> channel cover, solid stainless steel
- 1 x screw set (2 pieces of 300 mm, 4 pieces of 700 mm and 800 mm, 6 pieces of 900 mm and 1100 mm)

## Channel covers for Fundo floor elements

### wedi Fundo *Riolito/Riofino* standard | Channel covers, stainless steel



Description	Length x Width x Height	Packing unit	Order no.
<b>NEW</b> wedi Fundo Riolito/Riofino standard, channel cover, 1.5 mm thick stainless steel, brushed	300 x 40 x 18 mm	1 unit	67-67-97/013
wedi Fundo Riolito standard, channel cover, 1.5 mm thick stainless steel, brushed	700 x 40 x 18 mm	1 unit	67-67-97/012
wedi Fundo Riolito standard, channel cover, 1.5 mm thick stainless steel, brushed	800 x 40 x 18 mm	1 unit	67-67-97/011
wedi Fundo Riolito standard, channel cover, 1.5 mm thick stainless steel, brushed	900 x 40 x 18 mm	1 unit	67-67-97/010
wedi Fundo Riolito standard, channel cover, 1.5 mm thick stainless steel, brushed	1100 x 40 x 18 mm	1 unit	67-67-97/009
<p><b>!</b> • For installation heights of 4,5 to 14,5 mm.            • These channel covers are not compatible for Fundo Riolito<sup>neo</sup> and Fundo Plano Linea.</p> <p><b>!</b> • 1 Riolito channel cover, stainless steel            • 1 x 19 mm screw set (6 pieces, 700 mm, 800 mm and 900 mm, 8 pieces of 1100 mm)</p>			

### wedi Fundo *Riolito/Riofino* exclusive | Channel covers, solid stainless steel



Description	Length x Width x Height	Packing unit	Order no.
<b>NEW</b> wedi Fundo Riolito/Riofino exclusive, channel cover, solid stainless steel in 1.5 mm thickness, with additional 3mm stainless steel plate, brushed	300 x 40 x 21 mm	1 unit	67-67-97/004
wedi Fundo Riolito exclusive, channel cover, solid stainless steel in 1.5 mm thickness, with additional 3mm stainless steel plate, brushed	700 x 40 x 21 mm	1 unit	67-67-97/005
wedi Fundo Riolito exclusive, channel cover, solid stainless steel in 1.5 mm thickness, with additional 3mm stainless steel plate, brushed	800 x 40 x 21 mm	1 unit	67-67-97/006
wedi Fundo Riolito exclusive, channel cover, solid stainless steel in 1.5 mm thickness, with additional 3mm stainless steel plate, brushed	900 x 40 x 21 mm	1 unit	67-67-97/007
wedi Fundo Riolito exclusive, channel cover, solid stainless steel in 1.5 mm thickness, with additional 3mm stainless steel plate, brushed	1100 x 40 x 21 mm	1 unit	67-67-97/008
<p><b>!</b> • For installation heights of 3,5 to 13,5 mm.            • These channel covers are not compatible for Fundo Riolito<sup>neo</sup> and Fundo Plano Linea.</p> <p><b>!</b> • 1 Riolito channel cover, stainless steel            • 1 x 15 mm screw set (6 pieces, 700 mm, 800 mm and 900 mm, 8 pieces of 1100 mm)</p>			

## wedi Fundo *Riolito/Riofino* tileable | Channel covers, stainless steel



Description	Length x Width x Height	Packing unit	Order no.
<b>NEW</b> wedi Fundo Riolito/Riofino tileable, channel cover, stainless steel	300 x 40 x 18 mm	1 unit	67-67-97/014
wedi Fundo Riolito tileable, channel cover, stainless steel	700 x 40 x 18 mm	1 unit	67-67-97/015
wedi Fundo Riolito tileable, channel cover, stainless steel	800 x 40 x 18 mm	1 unit	67-67-97/016
wedi Fundo Riolito tileable, channel cover, stainless steel	900 x 40 x 18 mm	1 unit	67-67-97/017
wedi Fundo Riolito tileable, channel cover, stainless steel	1100 x 40 x 18 mm	1 unit	67-67-97/018

- !** • For installation heights of 7 to 20 mm.  
• These channel covers are not compatible for Fundo Riolito<sup>neo</sup> and Fundo Plano Linea.

- !** • 1 Riolito channel cover, stainless steel  
• 1 x 15 mm screw set (6 pieces, 700 mm, 800 mm and 900 mm, 8 pieces of 1100 mm)

## Screw set for wedi Fundo *Riolito/Riofino*



Description	Packing unit	Order no.
15 mm screw set	2 screws	07-37-67/001
19 mm screw set	2 screws	07-37-67/002
<b>!</b> • 15 mm screw set for standard cover to achieve an installation height of between 0 – 10.5 mm • 19 mm screw set only for drain covers, to achieve a unit height of 7.5 – 17.5 mm tileable for drain covers, to achieve a unit height of 11 – 24 mm		

## Accessories for Fundo floor elements with channel drain


### wedi Fundo *Riolito Discreto* | attachment element




Description	Length x Height x Depth	fits channel length	Order no.
wedi Fundo Riolito Discreto, attachment element	800 x 180 x 76 mm	700 mm ①	07-37-38/200
wedi Fundo Riolito Discreto, attachment element	900 x 180 x 76 mm	800 mm ②	07-37-38/201
wedi Fundo Riolito Discreto, attachment element	1000 x 180 x 76 mm	900 mm ③	07-37-38/202

- i** • Fundo Riolito Discreto has been specially designed for the wedi Fundo Riolito<sup>neo</sup>, wedi Fundo Riolito and wedi Fundo Piano Linea floor element.  
 • Numbers ①, ② and ③ designate the suitable combination versions with the wedi Fundo Riolito<sup>neo</sup>, wedi Fundo Riolito and Fundo Piano Linea floor elements.  
**!** • wedi 610 adhesive sealant included in the scope of delivery.

#### Technical drawings



## **NEW** wedi sloping board | Fundo *Riolito<sup>neo</sup>* / *Riolito*



### Description

wedi sloping board,  
Fundo Riolito<sup>neo</sup> / Riolito

Length x Width x Thickness

Packing unit/Pallet

Order no.

600 x 1200 x 50/60 mm

40 units

07-37-37/003

### m<sup>2</sup> Fundo Riolito<sup>neo</sup> / Riolito, sloping board:

- 600 x 1200 mm: approx. 0.72 m<sup>2</sup>

## wedi Fundo *Riolito<sup>neo</sup>* / *Plano Linea* end profile



### Description

wedi Fundo Riolito<sup>neo</sup> / Plano Linea  
end profile, stainless steel V<sub>2</sub>A  
**NEW** wedi Fundo Riolito<sup>neo</sup> / Plano Linea  
end profile, stainless steel V<sub>2</sub>A

Length x Height

1000 x 21 mm

Packing unit/box

1 unit

Order no.

10-73-00/001

1200 x 21 mm

1 unit

10-81-00/001

### Technical drawing


Fundo Riolito<sup>neo</sup> / Plano Linea, end profile



## Accessories for Fundo floor elements with channel drain

### **NEW** wedi Fundo Riolito<sup>neo</sup> / Plano Linea slope profile | floor, stainless steel V<sub>2</sub>A

Suitable for:  
Fundo Riolito<sup>neo</sup> / Plano Linea  
floor elements

Description	Thickness	Length	Packing unit/box	Order no.										
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile floor, left-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1200 mm	1 unit	10-71-00/008										
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile floor, left-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1200 mm	1 unit	10-71-00/010										
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile floor, left-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1200 mm	1 unit	10-71-00/012										
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile floor, left-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1600 mm	1 unit	10-81-20/008										
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile floor, left-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1600 mm	1 unit	10-81-20/010										
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile floor, left-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1600 mm	1 unit	10-81-20/012										
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile floor, left-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1800 mm	1 unit	10-81-40/008										
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile floor, left-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1800 mm	1 unit	10-81-40/010										
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile floor, left-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1800 mm	1 unit	10-81-40/012										
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile floor, right-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1200 mm	1 unit	10-71-10/008										
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile floor, right-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1200 mm	1 unit	10-71-10/010										
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile floor, right-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1200 mm	1 unit	10-71-10/012										
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile floor, right-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1600 mm	1 unit	10-81-30/008										
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile floor, right-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1600 mm	1 unit	10-81-30/010										
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile floor, right-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1600 mm	1 unit	10-81-30/012										
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile floor, right-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1800 mm	1 unit	10-81-50/008										
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile floor, right-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1800 mm	1 unit	10-81-50/010										
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile floor, right-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1800 mm	1 unit	10-81-50/012										
<b>i</b> • The slope profile can be individually reduced (length: 1600 mm by max. 400 mm, all other lengths by max. 300 mm).														
<table border="1"> <tr> <th>Material / Application</th> <th>Interior</th> <th>Exterior</th> <th>Wall</th> <th>Floor</th> </tr> <tr> <td>stainless steel V<sub>2</sub>A</td> <td>•</td> <td></td> <td></td> <td>•</td> </tr> </table>					Material / Application	Interior	Exterior	Wall	Floor	stainless steel V <sub>2</sub> A	•			•
Material / Application	Interior	Exterior	Wall	Floor										
stainless steel V <sub>2</sub> A	•			•										
<b>Technical drawing</b> Fundo Riolito <sup>neo</sup> / Plano Linea slope profile floor, left-hand version														
														

**NEW wedi Fundo Riolito<sup>neo</sup> / Plano Linea  
slope profile | wall, stainless steel V<sub>2</sub>A**

Suitable for:  
Fundo Riolito<sup>neo</sup> / Plano Linea  
floor elements




Description	Thickness	Length	Packing unit/box	Order no.
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile wall, left-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1200 mm	1 unit	10-72-00/008
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile wall, left-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1200 mm	1 unit	10-72-00/010
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile wall, left-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1200 mm	1 unit	10-72-00/012
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile wall, left-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1600 mm	1 unit	10-82-20/008
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile wall, left-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1600 mm	1 unit	10-82-20/010
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile wall, left-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1600 mm	1 unit	10-82-20/012
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile wall, left-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1800 mm	1 unit	10-82-40/008
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile wall, left-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1800 mm	1 unit	10-82-40/010
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile wall, left-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1800 mm	1 unit	10-82-40/012
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile wall, right-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1200 mm	1 unit	10-72-10/008
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile wall, right-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1200 mm	1 unit	10-72-10/010
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile wall, right-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1200 mm	1 unit	10-72-10/012
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile wall, right-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1600 mm	1 unit	10-82-30/008
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile wall, right-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1600 mm	1 unit	10-82-30/010
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile wall, right-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1600 mm	1 unit	10-82-30/012
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile wall, right-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1800 mm	1 unit	10-82-50/008
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile wall, right-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1800 mm	1 unit	10-82-50/010
wedi Fundo Riolito <sup>neo</sup> / Plano Linea slope profile wall, right-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1800 mm	1 unit	10-82-50/012

- i** • The slope profile can be individually reduced (length: 1600 mm by max. 400 mm, all other lengths by max. 300 mm).

Material / Application	Interior	Exterior	Wall	Floor
stainless steel V <sub>2</sub> A	•		•	

Technical drawing

Fundo slope profile wall, right-hand version



## Accessories for Fundo floor elements with channel drain

### wedi Fundo *Riolito* | slope wedge floor, left-hand / right-hand version, stainless steel V<sub>2</sub>A

Suitable for:  
Fundo Riolito  
floor elements




Description	Thickness	Length	Packing unit/box	Order no.
wedi Fundo Riolito, slope wedge floor, left-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1200 mm	1 unit	10-61-00/008
wedi Fundo Riolito, slope wedge floor, left-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1200 mm	1 unit	10-61-00/010
wedi Fundo Riolito, slope wedge floor, left-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1200 mm	1 unit	10-61-00/012
<b>NEW</b> wedi Fundo Riolito, slope wedge floor, left-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1600 mm	1 unit	10-63-00/008
<b>NEW</b> wedi Fundo Riolito, slope wedge floor, left-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1600 mm	1 unit	10-63-00/010
<b>NEW</b> wedi Fundo Riolito, slope wedge floor, left-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1600 mm	1 unit	10-63-00/012
<b>NEW</b> wedi Fundo Riolito, slope wedge floor, left-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1800 mm	1 unit	10-65-00/008
<b>NEW</b> wedi Fundo Riolito, slope wedge floor, left-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1800 mm	1 unit	10-65-00/010
<b>NEW</b> wedi Fundo Riolito, slope wedge floor, left-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1800 mm	1 unit	10-65-00/012
wedi Fundo Riolito, slope wedge floor, right-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1200 mm	1 unit	10-61-10/008
wedi Fundo Riolito, slope wedge floor, right-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1200 mm	1 unit	10-61-10/010
wedi Fundo Riolito, slope wedge floor, right-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1200 mm	1 unit	10-61-10/012
<b>NEW</b> wedi Fundo Riolito, slope wedge floor, right-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1600 mm	1 unit	10-63-10/008
<b>NEW</b> wedi Fundo Riolito, slope wedge floor, right-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1600 mm	1 unit	10-63-10/010
<b>NEW</b> wedi Fundo Riolito, slope wedge floor, right-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1600 mm	1 unit	10-63-10/012
<b>NEW</b> wedi Fundo Riolito, slope wedge floor, right-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1800 mm	1 unit	10-65-10/008
<b>NEW</b> wedi Fundo Riolito, slope wedge floor, right-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1800 mm	1 unit	10-65-10/010
<b>NEW</b> wedi Fundo Riolito, slope wedge floor, right-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1800 mm	1 unit	10-65-10/012

- i** • The slope profile can be individually reduced (length: 1600 mm by max. 400 mm, all other lengths by max. 300 mm).  
• This profile is suitable for all Fundo Riolito floor elements.  
It is not suitable for Fundo Riolito *neo* floor elements.

Material / Application	Interior	Exterior	Wall	Floor
stainless steel V <sub>2</sub> A	•			•

#### Technical drawing

Fundo Riolito, slope wedge floor, right-hand version



# wedi Fundo *Riolito* | slope profile wall, left-hand / right-hand version, stainless steel V<sub>2</sub>A

Suitable for:  
Fundo Riolito  
floor elements



Description	Thickness	Length	Packing unit/box	Order no.
wedi Fundo Riolito, slope profile wall, left-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1200 mm	1 unit	10-62-00/008
wedi Fundo Riolito, slope profile wall, left-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1200 mm	1 unit	10-62-00/010
wedi Fundo Riolito, slope profile wall, left-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1200 mm	1 unit	10-62-00/012
<b>NEW</b> wedi Fundo Riolito, slope profile wall, left-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1600 mm	1 unit	10-64-00/008
<b>NEW</b> wedi Fundo Riolito, slope profile wall, left-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1600 mm	1 unit	10-64-00/010
<b>NEW</b> wedi Fundo Riolito, slope profile wall, left-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1600 mm	1 unit	10-64-00/012
<b>NEW</b> wedi Fundo Riolito, slope profile wall, left-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1800 mm	1 unit	10-66-00/008
<b>NEW</b> wedi Fundo Riolito, slope profile wall, left-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1800 mm	1 unit	10-66-00/010
<b>NEW</b> wedi Fundo Riolito, slope profile wall, left-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1800 mm	1 unit	10-66-00/012
wedi Fundo Riolito, slope profile wall, right-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1200 mm	1 unit	10-62-10/008
wedi Fundo Riolito, slope profile wall, right-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1200 mm	1 unit	10-62-10/010
wedi Fundo Riolito, slope profile wall, right-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1200 mm	1 unit	10-62-10/012
<b>NEW</b> wedi Fundo Riolito, slope profile wall, right-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1600 mm	1 unit	10-64-10/008
<b>NEW</b> wedi Fundo Riolito, slope profile wall, right-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1600 mm	1 unit	10-64-10/010
<b>NEW</b> wedi Fundo Riolito, slope profile wall, right-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1600 mm	1 unit	10-64-10/012
<b>NEW</b> wedi Fundo Riolito, slope profile wall, right-hand version, stainless steel V <sub>2</sub> A	8.0 mm	1800 mm	1 unit	10-66-10/008
<b>NEW</b> wedi Fundo Riolito, slope profile wall, right-hand version, stainless steel V <sub>2</sub> A	10.0 mm	1800 mm	1 unit	10-66-10/010
<b>NEW</b> wedi Fundo Riolito, slope profile wall, right-hand version, stainless steel V <sub>2</sub> A	12.5 mm	1800 mm	1 unit	10-66-10/012

- i** • The slope profile can be individually reduced (length: 1600 mm by max. 400 mm, all other lengths by max. 300 mm).

- This profile is suitable for all Fundo Riolito floor elements.

It is not suitable for Fundo Riolito <sup>neo</sup> floor elements.

Material / Application	Interior	Exterior	Wall	Floor
stainless steel V <sub>2</sub> A	●			●





## Technical drawing

Fundo Riolito, slope profile wall, right-hand version










## Fundo customised products

### wedi Fundo Special floor elements

	type 1	type 2		
Description	wedi Fundo Primo, square, rectangular, one piece	<b>NEW</b> wedi Fundo Riolito <sup>neo</sup> , square, rectangular, one piece		
Dimensions	Length X: max. 2400 mm Width Y: max. 1500 mm Thickness: 40 mm + 50 mm	1-sided slope: Length X: max. 1600 mm Width Y: max. 1500 mm Thickness: 50 mm	2-sided slope: Length X: max. 1650 mm Width Y: max. 1500 mm Thickness: 50 mm	4-sided slope: Length X: max. 1800 mm Width Y: max. 1500 mm Thickness: 50 mm
Restrictions	Dimensions YA = min. 200 mm XA = min. 200 mm	Dimensions YA = min. 30 mm, max. 300 mm	Dimensions YA = min. 30 mm, max. 300 mm	Dimensions YA = min. 200 mm ZA = min. 200 mm
Order no.	07-37-14/099	07-37-16/199	07-37-16/199	07-37-16/199
Examples	 	 	 	
Delivery time ex-works	4 – 6 weeks after receipt of order confirmation of the technical specification	4 – 6 weeks after receipt of order confirmation of the technical specification		













 The drains for special floor elements must be ordered separately, with the exception of Type 9 (Fundo Plano). Likewise, a separate channel covers order is required for Types 2, 3, 4, 7 and 8. Please pay attention to which channel system you are using (Riolito or Riolito<sup>neo</sup>) when ordering covers and drains!

type 3	type 4	type 5
wedi Fundo Riolito, square, rectangular, one piece	wedi Fundo Riofino, square, rectangular, one piece with Riolito <sup>neo</sup> or Riolito drain system	wedi Fundo substrate element, square, rectangular, one piece
2-sided slope: Length X: max. 1650 mm Width Y: max. 1500 mm Thickness: 50 mm	4-sided slope: Length X: max. 1800 mm Width Y: max. 1500 mm Thickness: 50 mm	Length X: max. 2400 mm Width Y: max. 1500 mm Thickness: 60 – 120 mm
Dimensions YA = min. 30 mm, max. 300 mm	Dimensions YA = min. 200 mm ZA = min. 200 mm	Dimensions YA = min. 200 mm ZA = min. 200 mm
07-37-14/199	07-37-14/199	Fundo Riolito <sup>neo</sup> drain system: 07-37-16/299 Fundo Riolito drain system: 07-37-14/299
 	  	 
4 – 6 weeks after receipt of order confirmation of the technical specification	4 – 6 weeks after receipt of order confirmation of the technical specification	4 – 6 weeks after receipt of order confirmation of the technical specification



**i** The drains for special floor elements must be ordered separately, with the exception of Type 9 (Fundo Plano). Likewise, a separate channel covers order is required for Types 2, 3, 4, 7 and 8. Please pay attention to which channel system you are using (Riolito or Riolito<sup>neo</sup>) when ordering covers and drains!

## Fundo customised products

### wedi Fundo Special floor elements

	type 6	type 7	type 8
Description	wedi Fundo Individual, multi-corner; round; multi-piece; individual dimensions, design and thickness	<b>NEW</b> wedi Fundo Riolito <sup>neo</sup> / Riofino, Individual, hot water heating possible with Riolito <sup>neo</sup> drain system	wedi Fundo Riolito / Riofino Individual, WWH possible
Dimensions	Length X: individual Width Y: individual Thickness: individual	Length X: individual Width Y: individual Thickness: individual	Length X: individual Width Y: individual Thickness: individual
Restrictions	Technical feasibility check	Technical feasibility check	Technical feasibility check
Order no.	07-37-14/499	07-37-16/599	07-37-14/599
Examples	   	   	   
 Delivery time ex-works	4 – 6 weeks after receipt of order confirmation of the technical specification	4 – 6 weeks after receipt of order confirmation of the technical specification	4 – 6 weeks after receipt of order confirmation of the technical specification

 The drains for special floor elements must be ordered separately, with the exception of Type 9 (Fundo Plano). Likewise, a separate channel covers order is required for Types 2, 3, 4, 7 and 8. Please pay attention to which channel system you are using (Riolito or Riolito<sup>neo</sup>) when ordering covers and drains!

type 9	type 10		
wedi Fundo Plano, square, rectangular, one piece	<b>NEW</b> wedi Fundo Ligno Individual, square, rectangular, one piece		
Length X: min. 800 mm / max. 1600 mm Width Y: min. 800 mm / max. 1500 mm Thickness: 65 mm	Length X: min. 800 mm / max. 1600 mm Width Y: min. 800 mm / max. 1550 mm Thickness: 20 / 41 mm		
Slope section YA: min. 260 mm / max. 900 mm Slope section YB: min. 260 mm / max. 900 mm Slope section XA: min. 260 mm / max. 900 mm Slope section XB: min. 450 mm / max. 600 mm	<b>centred:</b> <b>Central drain</b> Length X: min. 800 mm max. 1600 mm Length Y: min. 800 mm max. 1550 mm	<b>off-centred,</b> <b>close to the wall:</b> Drain point 260 x 260 mm off the edge Length X: min. 800 mm max. 1260 mm Length Y: min. 800 mm max. 1260 mm	<b>off-centered, variable:</b> Variable drain point but the dimension of the drain axis (XA, YA) must not be less than 260 mm or more than 1000 mm off the edge! Length X: min. 800 mm max. 1600 mm Length Y: min. 800 mm max. 1550 mm
07-37-14/699	07-37-14/799		
			
4 – 6 weeks after receipt of order confirmation of the technical specification	4 – 6 weeks after receipt of order confirmation of the technical specification		

**i** The drains for special floor elements must be ordered separately, with the exception of Type 9 (Fundo Plano). Likewise, a separate channel covers order is required for Types 2, 3, 4, 7 and 8. Please pay attention to which channel system you are using (Riolito or Riolito<sup>neo</sup>) when ordering covers and drains!

## Sanbath Cube

### wedi Sanbath *Cube* | tub




Description	Length x Width x Height	Packing unit	Order no.
wedi Sanbath Cube, tub	1800 x 850 x 625 mm	1 unit	07-36-07/001

- ! • The delivery time is approx. 4 – 5 weeks ex-works.  
! • 1 Bathtub element with drain and overflow fitting, connection DN 40/50, inspection chamber for provided fittings  
 • Fundo Fino exclusive drain grate  
 • Fundo Fino elegant frame

**m<sup>2</sup>** Sanbath Cube, tub:

- Inside: approx. 2.80 m<sup>2</sup>
- Engraved round outside edge: approx. 3.30 m<sup>2</sup>

#### Technical drawings



### wedi Sanbath *Cube* | wash stand




Description	Length x Width x Height	Packing unit	Order no.
wedi Sanbath Cube, wash stand	570 x 570 x 925 mm	1 unit	07-36-06/000

- ! • The wash basin is prepared for installation of siphon (1½") and fittings.  
 • The delivery time is approx. 4 – 5 weeks ex-works.  
! • 1 wash stand  
 • 1 siphon, connection DN 50

**m<sup>2</sup>** Sanbath Cube, wash stand:

- Top + Inside: approx. 0.60 m<sup>2</sup>
- Engraved round outside edge: approx. 2.00 m<sup>2</sup>

#### Technical drawings



## wedi Sanbath *Cube* | shower unit



Description	Height x Width x Depth	Packing unit	Order no.
wedi Sanbath Cube, shower unit	2200 x 400 x 850 mm	1 unit	07-36-05/000


! • The delivery time is approx. 4 – 5 weeks ex-works.

! • 1 shower unit element with 1 hansgrohe iBox  
(with prefabricated piping for a head shower)

m<sup>2</sup> Sanbath Cube, shower unit:

• Front + sides + top: approx. 3.30 m<sup>2</sup>

### Technical drawings



## Sanbath Wave

### wedi Sanbath Wave | tub



Description	Length x Width x Height	Packing unit	Order no.
wedi Sanbath Wave, tub	1800 x 850 x 625 mm	1 unit	07-36-01/001


 • The delivery time is approx. 4 – 5 weeks ex-works.

-  • 1 Bathtub element with drain and overflow fitting, connection DN 40/50, inspection chamber for provided fittings  
• Fundo Fino exclusive drain grate  
• Fundo Fino elegant frame

 Sanbath Wave, tub:

- Inside: approx. 2.90 m<sup>2</sup>
- Engraved round outside edge: approx. 3.40 m<sup>2</sup>

#### Technical drawings



### wedi Sanbath Wave | wash basin



Description	Length x Width x Height	Packing unit	Order no.
wedi Sanbath Wave, wash basin	1000 x 550 x 200 mm	1 unit	07-36-03/000


 • The wash basin is prepared for installation of siphon (1 1/4") and fittings.  
• The delivery time is approx. 4 – 5 weeks ex-works.

-  • 1 wash basin element  
• 1 wall fixing (only for flush-mounted fitting)

 Sanbath Wave, wash basin:

- Engraved round outside edge: approx. 1.50 m<sup>2</sup>

#### Technical drawings



## wedi Sanbath Wave | shower unit



Description	Height x Width x Depth	Packing unit	Order no.
wedi Sanbath Wave, shower unit	2500 x 1010,5 x 400 mm	1 unit	07-36-02/000




**!** • The delivery time is approx. 4 – 5 weeks ex-works.

**!** • 1 shower unit element with 1 hansgrohe iBox  
(with prefabricated piping for a head shower)

**m<sup>2</sup>** Sanbath Wave, shower unit:

- Front + sides: approx. 2.06 m<sup>2</sup>
- Top: approx. 0.84 m<sup>2</sup>

### Technical drawings




## Sanoasa Comoda benches

**wedi Sanoasa Comoda | bench/carrier element,  
slope to front/slope to back**


Bench element, slope to front



Bench element, slope to back



Carrier element with round finish length

## Description

wedi Sanoasa Comoda, bench element,  
slope to front

Length

Order no.

1000 mm

07-64-47/015

wedi Sanoasa Comoda, bench element,  
slope to front

2000 mm

07-64-38/000

wedi Sanoasa Comoda, bench element,  
slope to back

1000 mm

07-64-47/016

wedi Sanoasa Comoda, bench element,  
slope to back

2000 mm

07-64-36/000

wedi Sanoasa Comoda, carrier element,  
round finish length

1000 mm

07-64-37/500

! Options

Bench element with integrated electrical heating set

1000 mm

-

Bench element with integrated hot water heating set

1000 mm

-

- ! • The bench element is supplied in two parts, a back rest and a seat.

- These pieces shall be glued with wedi 610 sealant as must the bench element with the carrier element.
- Each bench element (2000 mm) requires two carrier elements.
- The bench elements, forward slope and the substructure element are available immediately. The delivery time for bench elements with backward slope is approx. 3 weeks ex-works.
- For hot water or electrical heating sets which are to be installed on site, the delivery time is approx. 5 weeks ex-works.

! **m<sup>2</sup>** Bench element (for 2000 mm Length):

• Front: approx. 2.30 m<sup>2</sup>

• Rear panel: approx. 1.24 m<sup>2</sup>

• Sides: approx. 0.31 m<sup>2</sup>

## Carrier elements (for 2000 mm Length):

• Front: approx. 0.60 m<sup>2</sup>


• Rear panel: approx. 0.50 m<sup>2</sup>

• Sides: approx. 0.25 m<sup>2</sup>

## Technical drawing

Sanosa Comoda, slope to front

Sanosa Comoda, slope to back



## wedi Sanoasa Comoda *linea* | bench/carrier element, slope to front/slope to back



Description	Length	Order no.
wedi Sanoasa Comoda, bench element, slope to front	1000 mm	07-64-47/015
wedi Sanoasa Comoda, bench element, slope to front	2000 mm	07-64-38/000
wedi Sanoasa Comoda, bench element, slope to back	1000 mm	07-64-47/016
wedi Sanoasa Comoda, bench element, slope to back	2000 mm	07-64-36/000
wedi Sanoasa Comoda <i>linea</i> , carrier element, straight finish length	1000 mm	07-64-37/000

### ⊕ Options

Bench element with integrated electrical heating set	1000 mm	-
Bench element with integrated hot water heating set	1000 mm	-

- !** • The bench element is supplied in two parts, a back rest and a seat.  
 • These pieces shall be glued with wedi 610 sealant as must the bench element with the carrier element.  
 • Each bench element (2000 mm) requires two carrier elements.  
 • The bench elements, forward slope and the substructure element are available immediately. The delivery time for bench elements with backward slope is approx. 3 weeks ex-works.  
 • For hot water or electrical heating sets which are to be installed on site, the delivery time is approx. 5 weeks ex-works.

### m² Bench element (for 2000 mm Length):


- Front: approx. 2.30 m<sup>2</sup>
- Rear panel: approx. 1.24 m<sup>2</sup>
- Sides: approx. 0.31 m<sup>2</sup>

### Carrier elements (for 2000 mm Length):


- Front: approx. 0.50 m<sup>2</sup>
- Rear panel: approx. 0.50 m<sup>2</sup>
- Sides: approx. 0.25 m<sup>2</sup>

### Technical drawings

Sanosa Comoda *linea*, slope to front




Sanosa Comoda *linea*, slope to back



## Sanoasa Comoda benches

### wedi Sanoasa *Comoda linea* | corner element 90°, straight, slope to front



Corner element with straight transition

#### Description

wedi Sanoasa Comoda, bench corner element 90°, straight, slope to front  
wedi Sanoasa Comoda *linea*, carrier corner element 90°

Length x Width x Height

Order no.

650 x 650 x 620 mm

07-64-47/004

650 x 650 x 250 mm

07-64-47/005



- The bench element shall be glued to the carrier element using wedi 610, adhesive sealant.
- Delivery time is approx. 3 weeks ex-works.

**m<sup>2</sup>**



Bench corner element:

- Front: approx. 0.90 m<sup>2</sup>
- rear panel: approx. 0.90 m<sup>2</sup>
- Sides: approx. 0.31 m<sup>2</sup>


Carrier corner element:

- Front: approx. 0.10 m<sup>2</sup>
- rear panel: approx. 0.40 m<sup>2</sup>
- Sides: approx. 0.25 m<sup>2</sup>

#### Technical drawings



### wedi Sanoasa *Comoda linea* | corner element 90°, round, slope to front



#### Description

wedi Sanoasa Comoda, corner element 90°, round, slope to front  
wedi Sanoasa Comoda *linea*, carrier corner element 90°

Length x Width x Height

Order no.

850 x 850 x 620 mm

07-64-47/000

850 x 850 x 250 mm

07-64-47/001



- The bench element shall be glued to the carrier element using wedi 610, adhesive sealant.
- Delivery time is approx. 3 weeks ex-works.

**m<sup>2</sup>**



Bench corner element:

- Front: approx. 1.20 m<sup>2</sup>
- Rear panel: approx. 1.10 m<sup>2</sup>
- Sides: approx. 0.31 m<sup>2</sup>

Carrier corner element:

- Front: approx. 0.20 m<sup>2</sup>
- Rear panel: approx. 0.50 m<sup>2</sup>
- Sides: approx. 0.25 m<sup>2</sup>

#### Technical drawings



## wedi Sanoasa Comoda *linea* | corner element 135°, straight, slope to front



Corner element with straight transition

### Description

wedi Sanoasa Comoda, bench corner element 135°, straight, slope to front  
wedi Sanoasa Comoda *linea*, carrier corner element 135°

Length x Width x Height

Order no.

600 x 660 x 620 mm

07-64-47/006

660 x 500 x 250 mm

07-64-47/007



- The bench element shall be glued to the carrier element using wedi 610, adhesive sealant.
- Delivery time is approx. 3 weeks ex-works.

**m<sup>2</sup>**



Bench corner element:

- Front: approx. 0.80 m<sup>2</sup>
- Rear panel: approx. 0.50 m<sup>2</sup>
- Sides: approx. 0.31 m<sup>2</sup>


Carrier corner element:

- Front: approx. 0.10 m<sup>2</sup>
- Rear panel: approx. 0.20 m<sup>2</sup>
- Sides: approx. 0.25 m<sup>2</sup>

### Technical drawings



## wedi Sanoasa Comoda *linea* | corner element 135°, round, slope to front



### Description

wedi Sanoasa Comoda, Bench corner element 135°, round, slope to front  
wedi Sanoasa Comoda *linea*, carrier corner element 135°

Length x Width x Height

Order no.

600 x 660 x 620 mm

07-64-47/002

660 x 500 x 250 mm

07-64-47/003



- The bench element shall be glued to the carrier element using wedi 610, adhesive sealant.
- Delivery time is approx. 3 weeks ex-works.

**m<sup>2</sup>**



Bankdeckelement:

- Front: approx. 0.80 m<sup>2</sup>
- Rear panel: approx. 0.50 m<sup>2</sup>
- Sides: approx. 0.31 m<sup>2</sup>

Carrier corner element:

- Front: approx. 0.10 m<sup>2</sup>
- Rear panel: approx. 0.20 m<sup>2</sup>
- Sides: approx. 0.25 m<sup>2</sup>

### Technical drawings



## Sanoasa Comoda benches

### wedi Sanoasa Comoda linea | end element left, R=200, slope to front



#### Description

wedi Sanoasa Comoda, bench end element left, R=200, slope to front  
wedi Sanoasa Comoda linea, carrier end element, R=200

Length x Width x Height

Order no.

600 x 300 x 620 mm

07-64-47/011

500 x 200 x 250 mm

07-64-47/013



- The bench element shall be glued to the carrier element using wedi 610, adhesive sealant.
- Delivery time is approx. 3 weeks ex-works.





Bench end element:

- Front: approx. 0.60 m<sup>2</sup>
- Rear panel: approx. 0.20 m<sup>2</sup>
- Sides: approx. 0.31 m<sup>2</sup>

Carrier end element:

- Front: approx. 0.20 m<sup>2</sup>
- Rear panel: approx. 0.10 m<sup>2</sup>
- Sides: approx. 0.25 m<sup>2</sup>

#### Technical drawings



### wedi Sanoasa Comoda linea | end element left, R=600, slope to front



#### Description

wedi Sanoasa Comoda, bench end element left, R=600, slope to front  
wedi Sanoasa Comoda linea, carrier end element, R=600

Length x Width x Height

Order no.

700 x 600 x 620 mm

07-64-47/008

600 x 500 x 250 mm

07-64-47/010



- The bench element shall be glued to the carrier element using wedi 610, adhesive sealant.
- Delivery time is approx. 3 weeks ex-works.






Bench end element:

- Front: approx. 0.80 m<sup>2</sup>
- Rear panel: approx. 0.30 m<sup>2</sup>
- Sides: approx. 0.31 m<sup>2</sup>

Carrier end element:

- Front: approx. 0.30 m<sup>2</sup>
- Rear panel: approx. 0.20 m<sup>2</sup>
- Sides: approx. 0.25 m<sup>2</sup>

#### Technical drawings



## wedi Sanoasa Comoda *linea* | end element right, R=200, slope to front



### Description

wedi Sanoasa Comoda, bench end element right, R=200,  
slope to front  
wedi Sanoasa Comoda *linea*, carrier end element, R=200

Length x Width x Height

Order no.

600 x 300 x 620 mm

07-64-47/012

500 x 200 x 250 mm

07-64-47/013



- The bench element shall be glued to the carrier element using wedi 610, adhesive sealant.
- Delivery time is approx. 3 weeks ex-works.





### Bench end element:

- Front: approx. 0.60 m<sup>2</sup>
- Rear panel: approx. 0.20 m<sup>2</sup>
- Sides: approx. 0.31 m<sup>2</sup>

### Carrier end element:

- Front: approx. 0.20 m<sup>2</sup>
- Rear panel: approx. 0.10 m<sup>2</sup>
- Sides: approx. 0.25 m<sup>2</sup>

### Technical drawings



## wedi Sanoasa Comoda *linea* | end element right, R=600, slope to front



### Description

wedi Sanoasa Comoda, bench end element right, R=600,  
slope to front  
wedi Sanoasa Comoda *linea*, carrier end element, R=600

Length x Width x Height

Order no.

700 x 600 x 620 mm

07-64-47/009

600 x 500 x 250 mm

07-64-47/010



- The bench element shall be glued to the carrier element using wedi 610, adhesive sealant.
- Delivery time is approx. 3 weeks ex-works.






### Bench end element:

- Front: approx. 0.80 m<sup>2</sup>
- Rear panel: approx. 0.30 m<sup>2</sup>
- Sides: approx. 0.31 m<sup>2</sup>

### Carrier end element:

- Front: approx. 0.30 m<sup>2</sup>
- Rear panel: approx. 0.20 m<sup>2</sup>
- Sides: approx. 0.25 m<sup>2</sup>

### Technical drawings



## Sanoasa Comoda benches

### wedi Sanoasa Comoda & Comoda linea | armrest



#### Description

wedi Sanoasa Comoda & Comoda linea, armrest

Length x Width x Height

Order no.

650 x 105 x 870 mm

07-64-47/014




- The Sanoasa Comoda & Comoda linea armrest can be installed equally on the right or the left.
- The armrest must be glued to the bench element and carrier element using wedi 610 adhesive sealant.
- Delivery time is approx. 3 weeks ex-works.

#### m<sup>2</sup> Armrest:


- Front: approx. 0.75 m<sup>2</sup>
- Rear panel: approx. 0.10 m<sup>2</sup>
- Sides: approx. 0.90 m<sup>2</sup>

#### Technical drawings



## Sanoasa Bellina benches

### wedi Sanoasa *Bellina* | bench/carrier element, slope to front



#### Description

wedi Sanoasa Bellina, bench element,  
slope to front

Length

1000 mm

Order no.

07-64-48/015

wedi Sanoasa Bellina, bench element,  
slope to front

2000 mm

07-64-41/000

wedi Sanoasa Bellina, carrier element,  
round finish length

1000 mm

07-64-41/600

#### ⊕ Options

Bench element with integrated electrical heating set

1000 mm

–

Bench element with integrated hot water heating set

1000 mm

–

- !** • Each bench element (2000 mm) requires two carrier elements.
- The bench element shall be glued to the carrier element using wedi 610 adhesive sealant.
- The article is immediately available.
- For hot water or electrical heating sets which are to be installed on site, the delivery time is approx. 5 weeks ex-works.

#### m<sup>2</sup> Bench element (for 2000 mm Length):


- Front: approx. 1.45 m<sup>2</sup>
- Rear panel: approx. 0.50 m<sup>2</sup>
- Sides: approx. 0.19 m<sup>2</sup>

#### Carrier elements Bellina (for 2000 mm Length):

- Front: approx. 0.60 m<sup>2</sup>
- Rear panel: approx. 0.50 m<sup>2</sup>
- Sides: approx. 0.19 m<sup>2</sup>


#### Technical drawings

Sanoasa Bellina, round finish length



## Sanoasa Bellina benches

### wedi Sanoasa *Bellina linea* | bench/carrier element, slope to front



#### Description

wedi Sanoasa Bellina, bench element, slope to front

Length

Order no.

1000 mm

07-64-48/015

wedi Sanoasa Bellina, bench element, slope to front

2000 mm

07-64-41/000

wedi Sanoasa *linea*, carrier element, straight finish length

1000 mm

07-64-41/500

#### ⊕ Options

Bench element with integrated electrical heating set

1000 mm

—

Bench element with integrated hot water heating set

1000 mm

—



- Each bench element (2000 mm) requires two carrier elements.
- The bench element shall be glued to the carrier element using wedi 610 adhesive sealant.
- The article is immediately available.
- For hot water or electrical heating sets which are to be installed on site, the delivery time is approx. 5 weeks ex-works.

#### m<sup>2</sup> Bench element (for 2000 mm Length):


- Front: approx. 1,45 m<sup>2</sup>
- Rear panel: approx. 0,50 m<sup>2</sup>
- Sides: approx. 0,19 m<sup>2</sup>

#### Carrier elements Bellina *linea* (for 2000 mm Length):


- Front: approx. 0,50 m<sup>2</sup>
- Rear panel: approx. 0,50 m<sup>2</sup>
- Sides: approx. 0,20 m<sup>2</sup>

#### Technical drawings

Sanoasa Bellina *linea*, straight finish length



## wedi Sanoasa *Bellina linea* | corner element 90°, straight, slope to front



Corner element with straight transition

### Description

wedi Sanoasa Bellina, bench corner element 90°, straight, slope to front  
wedi Sanoasa Bellina *linea*, carrier corner element 90°

Length x Width x Height

Order no.

550 x 550 x 240 mm

07-64-48/004

550 x 550 x 250 mm

07-64-48/005



- The bench element shall be glued to the carrier element using wedi 610 adhesive sealant.
- Delivery time is approx. 3 weeks ex-works.

**m<sup>2</sup>**



Bench corner element:

- Front: approx. 0.35 m<sup>2</sup>
- Rear panel: approx. 0.30 m<sup>2</sup>
- Sides: approx. 0.19 m<sup>2</sup>


Carrier corner element:

- Front: approx. 0.10 m<sup>2</sup>
- Rear panel: approx. 0.30 m<sup>2</sup>
- Sides: approx. 0.20 m<sup>2</sup>

### Technical drawings



## wedi Sanoasa *Bellina linea* | corner element 90°, round, slope to front



### Description

wedi Sanoasa Bellina, bench corner element 90°, round, slope to front  
wedi Sanoasa Bellina *linea*, carrier corner element 90°

Length x Width x Height

Order no.

736 x 736 x 240 mm

07-64-48/000

736 x 736 x 250 mm

07-64-48/001



- The bench element shall be glued to the carrier element using wedi 610 adhesive sealant.
- Delivery time is approx. 3 weeks ex-works.

**m<sup>2</sup>**



Bench corner element:

- Front: approx. 0.45 m<sup>2</sup>
- Rear panel: approx. 0.30 m<sup>2</sup>
- Sides: approx. 0.19 m<sup>2</sup>

Carrier corner element:


- Front: approx. 0.15 m<sup>2</sup>
- Rear panel: approx. 0.30 m<sup>2</sup>
- Sides: approx. 0.20 m<sup>2</sup>

### Technical drawings



## Sanoasa Bellina benches

### wedi Sanoasa *Bellina linea* | corner element 135°, straight, slope to front



Corner element with straight transition

#### Description

wedi Sanoasa Bellina, bench corner element 135°, straight, slope to front  
wedi Sanoasa *linea*, carrier corner element 135°

Length x Width x Height

Order no.

486 x 486 x 240 mm

07-64-48/006

512 x 485 x 250 mm

07-64-48/007



- The bench element shall be glued to the carrier element using wedi 610 adhesive sealant.
- Delivery time is approx. 3 weeks ex-works.

**m<sup>2</sup>**



Bench corner element:

- Front: approx. 0.25 m<sup>2</sup>
- Rear panel: approx. 0.15 m<sup>2</sup>
- Sides: approx. 0.19 m<sup>2</sup>


Carrier corner element:

- Front: approx. 0.10 m<sup>2</sup>
- Rear panel: approx. 0.15 m<sup>2</sup>
- Sides: approx. 0.20 m<sup>2</sup>

#### Technical drawings



### wedi Sanoasa *Bellina linea* | corner element 135°, round, slope to front



Corner element with round transition

#### Description

wedi Sanoasa Bellina, bench corner element 135°, round, slope to front  
wedi Sanoasa *linea*, carrier corner element 135°

Length x Width x Height

Order no.

638 x 608 x 240 mm

07-64-48/002

638 x 486 x 250 mm

07-64-48/003



- The bench element shall be glued to the carrier element using wedi 610 adhesive sealant.
- Delivery time is approx. 3 weeks ex-works.

**m<sup>2</sup>**



Bench corner element:

- Front: approx. 0.35 m<sup>2</sup>
- Rear panel: approx. 0.20 m<sup>2</sup>
- Sides: approx. 0.19 m<sup>2</sup>

Carrier corner element:

- Front: approx. 0.15 m<sup>2</sup>
- Rear panel: approx. 0.20 m<sup>2</sup>
- Sides: approx. 0.20 m<sup>2</sup>

#### Technical drawings



## wedi Sanoasa *Bellina linea* | end element left, R=200, slope to front



### Description

wedi Sanoasa Bellina, bench end element left, R=200,  
slope to front  
wedi Sanoasa Bellina *linea*, carrier end element, R=200

Length x Width x Height

Order no.

486 x 300 x 240 mm

07-64-48/011

386 x 200 x 250 mm

07-64-48/013



- The bench element shall be glued to the carrier element using wedi 610 adhesive sealant.
- Delivery time is approx. 3 weeks ex-works.




Bench corner element:

- Front: approx. 0.30 m<sup>2</sup>
- Rear panel: approx. 0.20 m<sup>2</sup>
- Sides: approx. 0.19 m<sup>2</sup>

Carrier corner element:

- Front: approx. 0.15 m<sup>2</sup>
- Rear panel: approx. 0.15 m<sup>2</sup>
- Sides: approx. 0.20 m<sup>2</sup>

### Technical drawings



## wedi Sanoasa *Bellina linea* | end element left, R=486, slope to front



### Description

wedi Sanoasa Bellina, bench end element left, R=486,  
slope to front  
wedi Sanoasa Bellina *linea*, carrier end element, R=486

Length x Width x Height

Order no.

600 x 486 x 240 mm

07-64-48/008

500 x 386 x 250 mm

07-64-48/010



- The bench element shall be glued to the carrier element using wedi 610 adhesive sealant.
- Delivery time is approx. 3 weeks ex-works.




Bench corner element:

- Front: approx. 0.40 m<sup>2</sup>
- Rear panel: approx. 0.20 m<sup>2</sup>
- Sides: approx. 0.19 m<sup>2</sup>

Carrier corner element:

- Front: approx. 0.20 m<sup>2</sup>
- Rear panel: approx. 0.25 m<sup>2</sup>
- Sides: approx. 0.20 m<sup>2</sup>

### Technical drawings



## Sanoasa Bellina benches

### wedi Sanoasa *Bellina linea* | end element right, R=200, slope to front



#### Description

wedi Sanoasa Bellina, bench end element right, R=200,  
slope to front  
wedi Sanoasa *linea*, carrier end element, R=200

Length x Width x Height

Order no.

486 x 300 x 240 mm

07-64-48/012

386 x 200 x 250 mm

07-64-48/013



- The bench element shall be glued to the carrier element using wedi 610 adhesive sealant.
- Delivery time is approx. 3 weeks ex-works.

**m<sup>2</sup>**


Bench corner element:

- Front: approx. 0.30 m<sup>2</sup>
- Rear panel: approx. 0.20 m<sup>2</sup>
- Sides: approx. 0.19 m<sup>2</sup>

Carrier corner element:

- Front: approx. 0.15 m<sup>2</sup>
- Rear panel: approx. 0.15 m<sup>2</sup>
- Sides: approx. 0.20 m<sup>2</sup>

#### Technical drawings



### wedi Sanoasa *Bellina linea* | end element right, R=486, slope to front



#### Description

wedi Sanoasa Bellina, bench end element right, R=486,  
slope to front  
wedi Sanoasa *linea*, carrier end element, R=486

Length x Width x Height

Order no.

600 x 486 x 240 mm

07-64-48/009

500 x 386 x 250 mm

07-64-48/010



- The bench element shall be glued to the carrier element using wedi 610 adhesive sealant.
- Delivery time is approx. 3 weeks ex-works.

**m<sup>2</sup>**


Bench corner element:

- Front: approx. 0.40 m<sup>2</sup>
- Rear panel: approx. 0.20 m<sup>2</sup>
- Sides: approx. 0.19 m<sup>2</sup>


Carrier corner element:

- Front: approx. 0.20 m<sup>2</sup>
- Rear panel: approx. 0.25 m<sup>2</sup>
- Sides: approx. 0.20 m<sup>2</sup>

#### Technical drawings



# wedi Sanoasa Bellina & Bellina <sup>linea</sup> | armrest



## Description

wedi Sanoasa Bellina & Bellina <sup>linea</sup>, armrest

Length x Width x Height

Order no.

550 x 105 x 650 mm

07-64-48/014





- The Sanoasa Bellina & Bellina <sup>linea</sup> armrest can be installed equally on the right or the left.
- The armrest must be glued to the bench element and carrier element using wedi 610 adhesive sealant.
- Delivery time is approx. 3 weeks ex-works.

## m<sup>2</sup> Armrest:

- Front: approx. 0.65 m<sup>2</sup>
- Rear panel: approx. 0.10 m<sup>2</sup>
- Sides: approx. 0.72 m<sup>2</sup>

## Technical drawings



## Sanoasa Forma benches

### wedi Sanoasa *Forua* | bench/carrier element



Carrier element with round finish length

Description	Length	Order no.
wedi Sanoasa Forma, bench element	2000 mm	07-64-42/000
wedi Sanoasa Forma, carrier element, round finish length	1000 mm	07-64-43/500
<b>Options</b>		
Bench element with integrated electrical heating set	2000 mm	—
Bench element with integrated hot water heating set	2000 mm	—
<b>!</b> • Each bench element (2000 mm) requires two carrier elements. • The bench element shall be glued to the carrier element using wedi 610 adhesive sealant. • Delivery time is approx. 3 weeks ex-works. • For hot water or electrical heating sets which are to be installed on site, the delivery time is approx. 5 weeks ex-works.		
<b>m<sup>2</sup></b> <b>Bench element:</b> • Front: approx. 3.00 m <sup>2</sup> (for 2000 mm Length); • Rear panel: approx. 1.20 m <sup>2</sup> • Sides: approx. 0.51 m <sup>2</sup> <b>Carrier elements</b> • Front: approx. 0.60 m <sup>2</sup> • Rear panel: approx. 0.50 m <sup>2</sup> • Sides: approx. 0.47 m <sup>2</sup>		
<b>Technical drawings</b> 		

### wedi Sanoasa *Forua linea* | bench/carrier element



Carrier element with straight finish length

Description	Length	Order no.
wedi Sanoasa Forma, bench element	2000 mm	07-64-42/000
wedi Sanoasa Forma <i>linea</i> , carrier element, straight finish length	1000 mm	07-64-43/000
<b>Options</b>		
Bench element with integrated electrical heating set	2000 mm	—
Bench element with integrated hot water heating set	2000 mm	—
<b>!</b> • Each bench element (2000 mm) requires two carrier elements. • The bench element shall be glued to the carrier element using wedi 610 adhesive sealant. • Delivery time is approx. 3 weeks ex-works. • For hot water or electrical heating sets which are to be installed on site, the delivery time is approx. 5 weeks ex-works.		
<b>m<sup>2</sup></b> <b>Bench element:</b> • Front: approx. 3.00 m <sup>2</sup> (for 2000 mm Length); • Rear panel: approx. 1.20 m <sup>2</sup> • Sides: approx. 0.51 m <sup>2</sup> <b>Carrier elements</b> • Front: approx. 0.50 m <sup>2</sup> • Rear panel: approx. 0.50 m <sup>2</sup> • Sides: approx. 0.47 m <sup>2</sup>		
<b>Technical drawings</b> 		

## Sanoasa Collina benches


### wedi Sanoasa *Collina* | bench/carrier element, slope to front



Description	Length	Order no.
wedi Sanoasa Collina, bench element, slope to front	2000 mm	07-64-44/000
wedi Sanoasa Collina, carrier element, round finish length	1000 mm	07-64-45/500

⊕ Options	Length	Order no.
Bench element with integrated electrical heating set	2000 mm	—
Bench element with integrated hot water heating set	2000 mm	—

<b>!</b> • The bench element is supplied in two parts, a back rest and a seat. • These pieces shall be glued with wedi 610 adhesive sealant, as must the bench element with the carrier element. • Each bench element (2000 mm) requires two carrier elements. • Delivery time is approx. 3 weeks ex-works. • For hot water or electrical heating sets which are to be installed on site, the delivery time is approx. 5 weeks ex-works.	<b>m<sup>2</sup></b> Bench element: • Front: approx. 2.90 m <sup>2</sup> • Rear panel: approx. 1.30 m <sup>2</sup> • Sides: approx. 0.58 m <sup>2</sup>
	Carrier elements (for 2000 mm Length): • Front: approx. 0.60 m <sup>2</sup> • Rear panel: approx. 0.50 m <sup>2</sup> • Sides: approx. 0.35 m <sup>2</sup>



## Sanoasa Collina benches

### wedi Sanoasa *Collina linea* | bench/carrier element, slope to front



#### Description

wedi Sanoasa Collina, bench element,  
slope to front  
wedi Sanoasa *Collina linea*, carrier element,  
round finish length

Length

Order no.

2000 mm

07-64-44/000

#### Options

Bench element with integrated electrical heating set  
Bench element with integrated hot water heating set

2000 mm

—

2000 mm

—



- The bench element is supplied in two parts, a back rest and a seat.
- These pieces shall be glued with wedi 610 adhesive sealant, as must the bench element with the carrier element.
- Each bench element (2000 mm) requires two carrier elements.
- Delivery time is approx. 3 weeks ex-works.
- For hot water or electrical heating sets which are to be installed on site, the delivery time is approx. 5 weeks ex-works.


#### m<sup>2</sup> Bench element:

- Front: approx. 2.90 m<sup>2</sup>
- Rear panel: approx. 1.30 m<sup>2</sup>
- Sides: approx. 0.58 m<sup>2</sup>

#### Carrier elements (for 2000 mm Length):

- Front: approx. 0.50 m<sup>2</sup>
- Rear panel: approx. 0.50 m<sup>2</sup>
- Sides: approx. 0.35 m<sup>2</sup>

#### Technical drawings



## Sanoasa lounger

### wedi Sanoasa Lounger 1 | lounger



#### Description

wedi Sanoasa Lounger 1, lounger without heating  
wedi Sanoasa Lounger 1, lounger with electric heating  
wedi Sanoasa Lounger 1, lounger with hot water heating

#### Length x Width x Height

#### Order no.



1920 x 700 x 672 mm 07-64-00/042  
1920 x 700 x 672 mm 07-64-00/043  
1920 x 700 x 672 mm 07-64-00/044



- The delivery time for unheated loungers is approx. 5 weeks ex-works, and approx. 6 weeks ex-works for loungers with electrical or hot water heating.
- Customised products are offered on a project-by-project basis.
- The electrical heating set delivery contains a flush-mounted thermostat for dry areas. Alternatively, a thermostat for connections in a switching cabinet is available.
- The lounger element shall be glued to the carrier element using wedi 610 adhesive sealant.

**m<sup>2</sup>** Lounger element: approx. 4.15 m<sup>2</sup>  
Carrier element: approx. 0.47 m<sup>2</sup>

#### Technical drawings



## Sanoasa lounger

### wedi Sanoasa Lounger 2 | lounger



#### Description

wedi Sanoasa Lounger 2, lounger without heating

wedi Sanoasa Lounger 2, lounger with electric heating

wedi Sanoasa Lounger 2, lounger with hot water heating

Length x Width x Height

Order no.

1442 x 700 x 1104 mm

07-64-00/045

1442 x 700 x 1104 mm

07-64-00/046

1442 x 700 x 1104 mm

07-64-00/047





- The delivery time for unheated loungers is approx. 5 weeks ex-works, and approx. 6 weeks ex-works for loungers with electrical or hot water heating.
- Customised products are offered on a project-by-project basis.
- The electrical heating set delivery contains a flush-mounted thermostat for dry areas. Alternatively, a thermostat for connections in a switching cabinet is available.
- The lounger element shall be glued to the carrier element using wedi 610 adhesive sealant.

 Lounger element: approx. 2.33 m<sup>2</sup>

Carrier element: approx. 1.51 m<sup>2</sup>

#### Technical drawings



## wedi Sanoasa Lounger 3 | lounger



### Description

wedi Sanoasa Lounger 3, lounger without heating  
 wedi Sanoasa Lounger 3, lounger with electric heating  
 wedi Sanoasa Lounger 3, lounger with hot water heating


Length x Width x Height Order no.

1856 x 700 x 764 mm 07-64-00/049  
 1856 x 700 x 764 mm 07-64-00/050  
 1856 x 700 x 764 mm 07-64-00/051

- !** • The delivery time for unheated loungers is approx. 5 weeks ex-works, and approx. 6 weeks ex-works for loungers with electrical or hot water heating.  
 • Customised products are offered on a project-by-project basis.  
 • The electrical heating set delivery contains a flush-mounted thermostat for dry areas. Alternatively, a thermostat for connections in a switching cabinet is available.  
 • The lounger element shall be glued to the carrier element using wedi 610 adhesive sealant.

**m<sup>2</sup>** Lounger element: approx. 3.07 m<sup>2</sup>  
 Carrier element: approx. 1.28 m<sup>2</sup>

### Technical drawings



## Sanoasa loungers

# wedi Sanoasa Lounger 4 | lounger




Description	Length x Width x Height	Order no.
wedi Sanoosa Lounger 4, lounger without heating	2014 x 700 x 921 mm	07-64-00/053
wedi Sanoosa Lounger 4, lounger with electric heating	2014 x 700 x 921 mm	07-64-00/054
wedi Sanoosa Lounger 4, lounger with hot water heating	2014 x 700 x 921 mm	07-64-00/055

- ! • The delivery time for unheated loungers is approx. 5 weeks ex-works, and approx. 6 weeks ex-works for loungers with electrical or hot water heating.
- Customised products are offered on a project-by-project basis.
- The electrical heating set delivery contains a flush-mounted thermostat for dry areas. Alternatively, a thermostat for connections in a switching cabinet is available.
- The lounger element shall be glued to the carrier element using wedi 610 adhesive sealant.

**m<sup>2</sup>** Lounger element: approx. 3.18 m<sup>2</sup>  
Carrier element: approx. 3.05 m<sup>2</sup>

## Technical drawings



## wedi Sanoasa Lounger 5 | lounger



### Description

wedi Sanoasa Lounger 5, lounger without heating  
wedi Sanoasa Lounger 5, lounger with electric heating  
wedi Sanoasa Lounger 5, lounger with hot water heating

Length x Width x Height



Order no.

1738 x 700 x 890 mm 07-64-00/059  
1738 x 700 x 890 mm 07-64-00/060  
1738 x 700 x 890 mm 07-64-00/061

- !** • The delivery time for unheated loungers is approx. 5 weeks ex-works, and approx. 6 weeks ex-works for loungers with electrical or hot water heating.  
• Customised products are offered on a project-by-project basis.  
• The electrical heating set delivery contains a flush-mounted thermostat for dry areas. Alternatively, a thermostat for connections in a switching cabinet is available.

**m<sup>2</sup>** Loungerelement inkl. carrier element:  
approx. 4.16 m<sup>2</sup>

### Technical drawings




## Glass door

### wedi Eterna | glass door with stainless steel frame V<sub>2</sub>A



Description	Door stop	for wall thickness	Fold dimensions	Packing unit	Order no.
			Width x Height		
wedi Eterna, glass door with stainless steel frame	DIN right	80 mm	591 x 1983 mm	1 unit	07-64-00/012
wedi Eterna, glass door with stainless steel frame	DIN right	80 mm	716 x 1983 mm	1 unit	07-64-00/022
wedi Eterna, glass door with stainless steel frame	DIN right	50 mm	591 x 1983 mm	1 unit	67-67-00/000
wedi Eterna, glass door with stainless steel frame	DIN right	80 mm	966 x 1983 mm	1 unit	67-64-00/020
wedi Eterna, glass door with stainless steel frame	DIN left	80 mm	591 x 1983 mm	1 unit	07-64-00/112
wedi Eterna, glass door with stainless steel frame	DIN left	80 mm	716 x 1983 mm	1 unit	07-64-00/122
wedi Eterna, glass door with stainless steel frame	DIN left	50 mm	591 x 1983 mm	1 unit	67-67-00/001
wedi Eterna, glass door with stainless steel frame	DIN left	80 mm	966 x 1983 mm	1 unit	67-64-00/120

#### Technical drawings







## Spa and wellness projects

### Multi-sensory showers / shower systems

	Example	Example
Description	Example 1 Multi-sensory showers / shower systems	Example 2 Multi-sensory showers / shower systems
Technical drawings		<img alt="Architectural floor plan showing multiple shower stalls with dimensions 5400 wide by 1100 deep, and a detailed cross-section of a single stall with dimensions 2150 high, 500 wide, 2000 deep, and internal features like 500x500, 450, 550, 600, 650, 700, 750, 800, 850, 900, 950, 1000, 1050, 1100, 1150, 1200, 1250, 1300, 1350, 1400, 1450, 1500, 1550, 1600, 1650, 1700, 1750, 1800, 1850, 1900, 1950, 2000, 2050, 2100, 2150, 2200, 2250, 2300, 2350, 2400, 2450, 2500, 2550, 2600, 2650, 2700, 2750, 2800, 2850, 2900, 2950, 3000, 3050, 3100, 3150, 3200, 3250, 3300, 3350, 3400, 3450, 3500, 3550, 3600, 3650, 3700, 3750, 3800, 3850, 3900, 3950, 4000, 4050, 4100, 4150, 4200, 4250, 4300, 4350, 4400, 4450, 4500, 4550, 4600, 4650, 4700, 4750, 4800, 4850, 4900, 4950, 5000, 5050, 5100, 5150, 5200, 5250, 5300, 5350, 5400, 5450, 5500, 5550, 5600, 5650, 5700, 5750, 5800, 5850, 5900, 5950, 6000, 6050, 6100, 6150, 6200, 6250, 6300, 6350, 6400, 6450, 6500, 6550, 6600, 6650, 6700, 6750, 6800, 6850, 6900, 6950, 7000, 7050, 7100, 7150, 7200, 7250, 7300, 7350, 7400, 7450, 7500, 7550, 7600, 7650, 7700, 7750, 7800, 7850, 7900, 7950, 8000, 8050, 8100, 8150, 8200, 8250, 8300, 8350, 8400, 8450, 8500, 8550, 8600, 8650, 8700, 8750, 8800, 8850, 8900, 8950, 9000, 9050, 9100, 9150, 9200, 9250, 9300, 9350, 9400, 9450, 9500, 9550, 9600, 9650, 9700, 9750, 9800, 9850, 9900, 9950, 10000, 10050, 10100, 10150, 10200, 10250, 10300, 10350, 10400, 10450, 10500, 10550, 10600, 10650, 10700, 10750, 10800, 10850, 10900, 10950, 11000, 11050, 11100, 11150, 11200, 11250, 11300, 11350, 11400, 11450, 11500, 11550, 11600, 11650, 11700, 11750, 11800, 11850, 11900, 11950, 12000, 12050, 12100, 12150, 12200, 12250, 12300, 12350, 12400, 12450, 12500, 12550, 12600, 12650, 12700, 12750, 12800, 12850, 12900, 12950, 13000, 13050, 13100, 13150, 13200, 13250, 13300, 13350, 13400, 13450, 13500, 13550, 13600, 13650, 13700, 13750, 13800, 13850, 13900, 13950, 14000, 14050, 14100, 14150, 14200, 14250, 14300, 14350, 14400, 14450, 14500, 14550, 14600, 14650, 14700, 14750, 14800, 14850, 14900, 14950, 15000, 15050, 15100, 15150, 15200, 15250, 15300, 15350, 15400, 15450, 15500, 15550, 15600, 15650, 15700, 15750, 15800, 15850, 15900, 15950, 16000, 16050, 16100, 16150, 16200, 16250, 16300, 16350, 16400, 16450, 16500, 16550, 16600, 16650, 16700, 16750, 16800, 16850, 16900, 16950, 17000, 17050, 17100, 17150, 17200, 17250, 17300, 17350, 17400, 17450, 17500, 17550, 17600, 17650, 17700, 17750, 17800, 17850, 17900, 17950, 18000, 18050, 18100, 18150, 18200, 18250, 18300, 18350, 18400, 18450, 18500, 18550, 18600, 18650, 18700, 18750, 18800, 18850, 18900, 18950, 19000, 19050, 19100, 19150, 19200, 19250, 19300, 19350, 19400, 19450, 19500, 19550, 19600, 19650, 19700, 19750, 19800, 19850, 19900, 19950, 20000, 20050, 20100, 20150, 20200, 20250, 20300, 20350, 20400, 20450, 20500, 20550, 20600, 20650, 20700, 20750, 20800, 20850, 20900, 20950, 21000, 21050, 21100, 21150, 21200, 21250, 21300, 21350, 21400, 21450, 21500, 21550, 21600, 21650, 21700, 21750, 21800, 21850, 21900, 21950, 22000, 22050, 22100, 22150, 22200, 22250, 22300, 22350, 22400, 22450, 22500, 22550, 22600, 22650, 22700, 22750, 22800, 22850, 22900, 22950, 23000, 23050, 23100, 23150, 23200, 23250, 23300, 23350, 23400, 23450, 23500, 23550, 23600, 23650, 23700, 23750, 23800, 23850, 23900, 23950, 24000, 24050, 24100, 24150, 24200, 24250, 24300, 24350, 24400, 24450, 24500, 24550, 24600, 24650, 24700, 24750, 24800, 24850, 24900, 24950, 25000, 25050, 25100, 25150, 25200, 25250, 25300, 25350, 25400, 25450, 25500, 25550, 25600, 25650, 25700, 25750, 25800, 25850, 25900, 25950, 26000, 26050, 26100, 26150, 26200, 26250, 26300, 26350, 26400, 26450, 26500, 26550, 26600, 26650, 26700, 26750, 26800, 26850, 26900, 26950, 27000, 27050, 27100, 27150, 27200, 27250, 27300, 27350, 27400, 27450, 27500, 27550, 27600, 27650, 27700, 27750, 27800, 27850, 27900, 27950, 28000, 28050, 28100, 28150, 28200, 28250, 28300, 28350, 28400, 28450, 28500, 28550, 28600, 28650, 28700, 28750, 28800, 28850, 28900, 28950, 29000, 29050, 29100, 29150, 29200, 29250, 29300, 29350, 29400, 29450, 29500, 29550, 29600, 29650, 29700, 29750, 29800, 29850, 29900, 29950, 30000, 30050, 30100, 30150, 30200, 30250, 30300, 30350, 30400, 30450, 30500, 30550, 30600, 30650, 30700, 30750, 30800, 30850, 30900, 30950, 31000, 31050, 31100, 31150, 31200, 31250, 31300, 31350, 31400, 31450, 31500, 31550, 31600, 31650, 31700, 31750, 31800, 31850, 31900, 31950, 32000, 32050, 32100, 32150, 32200, 32250, 32300, 32350, 32400, 32450, 32500, 32550, 32600, 32650, 32700, 32750, 32800, 32850, 32900, 32950, 33000, 33050, 33100, 33150, 33200, 33250, 33300, 33350, 33400, 33450, 33500, 33550, 33600, 33650, 33700, 33750, 33800, 33850, 33900, 33950, 34000, 34050, 34100, 34150, 34200, 34250, 34300, 34350, 34400, 34450, 34500, 34550, 34600, 34650, 34700, 34750, 34800, 34850, 34900, 34950, 35000, 35050, 35100, 35150, 35200, 35250, 35300, 35350, 35400, 35450, 35500, 35550, 35600, 35650, 35700, 35750, 35800, 35850, 35900, 35950, 36000, 36050, 36100, 36150, 36200, 36250, 36300, 36350, 36400, 36450, 36500, 36550, 36600, 36650, 36700, 36750, 36800, 36850, 36900, 36950, 37000, 37050, 37100, 37150, 37200, 37250, 37300, 37350, 37400, 37450, 37500, 37550, 37600, 37650, 37700, 37750, 37800, 37850, 37900, 37950, 38000, 38050, 38100, 38150, 38200, 38250, 38300, 38350, 38400, 38450, 38500, 38550, 38600, 38650, 38700, 38750, 38800, 38850, 38900, 38950, 39000, 39050, 39100, 39150, 39200, 39250, 39300, 39350, 39400, 39450, 39500, 39550, 39600, 39650, 39700, 39750, 39800, 39850, 39900, 39950, 40000, 40050, 40100, 40150, 40200, 40250, 40300, 40350, 40400, 40450, 40500, 40550, 40600, 40650, 40700, 40750, 40800, 40850, 40900, 40950, 41000, 41050, 41100, 41150, 41200, 41250, 41300, 41350, 41400, 41450, 41500, 41550, 41600, 41650, 41700, 41750, 41800, 41850, 41900, 41950, 42000, 42050, 42100, 42150, 42200, 42250, 42300, 42350, 42400, 42450, 42500, 42550, 42600, 42650, 42700, 42750, 42800, 42850, 42900, 42950, 43000, 43050, 43100, 43150, 43200, 43250, 43300, 43350, 43400, 43450, 43500, 43550, 43600, 43650, 43700, 43750, 43800, 43850, 43900, 43950, 44000, 44050, 44100, 44150, 44200, 44250, 44300, 44350, 44400, 44450, 44500, 44550, 44600, 44650, 44700, 44750, 44800, 44850, 44900, 44950, 45000, 45050, 45100, 45150, 45200, 45250, 45300, 45350, 45400, 45450, 45500, 45550, 45600, 45650, 45700, 45750, 45800, 45850, 45900, 45950, 46000, 46050, 46100, 46150, 46200, 46250, 46300, 46350, 46400, 46450, 46500, 46550, 46600, 46650, 46700, 46750, 46800, 46850, 46900, 46950, 47000, 47050, 47100, 47150, 47200, 47250, 47300, 47350, 47400, 47450, 47500, 47550, 47600, 47650, 47700, 47750, 47800, 47850, 47900, 47950, 48000, 48050, 48100, 48150, 48200, 48250, 48300, 48350, 48400, 48450, 48500, 48550, 48600, 48650, 48700, 48750, 48800, 48850, 48900, 48950, 49000, 49050, 49100, 49150, 49200, 49250, 49300, 49350, 49400, 49450, 49500, 49550, 49600, 49650, 49700, 49750, 49800, 49850, 49900, 49950, 50000, 50050, 50100, 50150, 50200, 50250, 50300, 50350, 50400, 50450, 50500, 50550, 50600, 50650, 50700, 50750, 50800, 50850, 50900, 50950, 51000, 51050, 51100, 51150, 51200, 51250, 51300, 51350, 51400, 51450, 51500, 51550, 51600, 51650, 51700, 51750, 51800, 51850, 51900, 51950, 52000, 52050, 52100, 52150, 52200, 52250, 52300, 52350, 52400, 52450, 52500, 52550, 52600, 52650, 52700, 52750, 52800, 52850, 52900, 52950, 53000, 53050, 53100, 53150, 53200, 53250, 53300, 53350, 53400, 53450, 53500, 53550, 53600, 53650, 53700, 53750, 53800, 53850, 53900, 53950, 54000, 54050, 54100, 54150, 54200, 54250, 54300, 54350, 54400, 54450, 54500, 54550, 54600, 54650, 54700, 54750, 54800, 54850, 54900, 54950, 55000, 55050, 55100, 55150, 55200, 55250, 55300, 55350, 55400, 55450, 55500, 55550, 55600, 55650, 55700, 55750, 55800, 55850, 55900, 55950, 56000, 56050, 56100, 56150, 56200, 56250, 56300, 56350, 56400, 56450, 56500, 56550, 56600, 56650, 56700, 56750, 56800, 56850, 56900, 56950, 57000, 57050, 57100, 57150, 57200, 57250, 57300, 57350, 57400, 57450, 57500, 57550, 57600, 57650, 57700, 57750, 57800, 57850, 57900, 57950, 58000, 58050, 58100, 58150, 58200, 58250, 58300, 58350, 58400, 58450, 58500, 58550, 58600, 58650, 58700, 58750, 58800, 58850, 58900, 58950, 59000, 59050, 59100, 59150, 59200, 59250, 59300, 59350, 59400, 59450, 59500, 59550, 59600, 59650, 59700, 59750, 59800, 59850, 59900, 59950, 60000, 60050, 60100, 60150, 60200, 60250, 60300, 60350, 60400, 60450, 60500, 60550, 60600, 60650, 60700, 60750, 60800, 60850, 60900, 60950, 61000, 61050, 61100, 61150, 61200, 61250, 61300, 61350, 61400, 61450, 61500, 61550, 61600, 61650, 61700, 61750, 61800, 61850, 61900, 61950, 62000, 62050, 62100, 62150, 62200, 62250, 62300, 62350, 62400, 62450, 62500, 62550, 62600, 62650, 62700, 62750, 62800, 62850, 62900, 62950, 63000, 63050, 63100, 63150, 63200, 63250, 63300, 63350, 63400, 63450, 63500, 63550, 63600, 63650, 63700, 63750, 63800, 63850, 63900, 63950, 64000, 64050, 64100, 64150, 64200, 64250, 64300, 64350, 64400, 64450, 64500, 64550, 64600, 64650, 64700, 64750, 64800, 64850, 64900, 64950, 65000, 65050, 65100, 65150, 65200, 65250, 65300, 65350, 65400, 65450, 65500, 65550, 65600, 65650, 65700, 65750, 65800, 65850, 65900, 65950, 66000, 66050, 66100, 66150, 66200, 66250, 66300, 66350, 66400, 66450, 66500, 66550, 66600, 66650, 66700, 66750, 66800, 66850, 66900, 66950, 67000, 67050, 67100, 67150, 67200, 67250, 67300, 67350, 67400, 67450, 67500, 67550, 67600, 67650, 67700, 67750, 67800, 67850, 67900, 67950, 68000, 68050, 68100, 68150, 68200, 68250, 68300, 68350, 68400, 68450, 68500, 68550, 68600, 68650, 68700, 68750, 68800, 68850, 68900, 68950, 69000, 69050, 69100, 69150, 69200, 69250, 69300, 69350, 69400, 69450, 69500, 69550, 69600, 69650, 69700, 69750, 69800, 69850, 69900, 69950, 70000, 70050, 70100, 70150, 70200, 70250, 70300, 70350, 70400, 70450, 70500, 70550, 70600, 70650, 70700, 70750, 70800, 70850, 70900, 70950, 71000, 71050, 71100, 71150, 71200, 71250, 71300, 71350, 71400, 71450, 71500, 71550, 71600, 71650, 71700, 71750, 71800, 71850, 71900, 71950, 72000, 72050, 72100, 72150, 72200, 72250, 72300, 72350, 72400, 72450, 72500, 72550, 72600, 72650, 72700, 72750, 72800, 72850, 72900, 72950, 73000, 73050, 73100, 73150, 73200, 73250, 73300, 73350, 73400, 73450, 73500, 73550, 73600, 73650, 73700, 73750, 73800, 73850, 73900, 73950, 74000, 74050, 74100, 74150, 74200, 74250, 74300, 74350, 74400, 74450, 74500, 74550, 74600, 74650, 74700, 74750, 74800, 74850, 74900, 74950, 75000, 75050, 75100, 75150, 75200, 75250, 75300, 75350, 75400, 75450, 75500, 75550, 75600, 75650, 75700, 75750, 75800, 75850, 75900, 75950, 76000, 76050, 76100, 76150, 76200, 76250, 76300, 76350, 76400, 76450, 76500, 76550, 76600, 76650, 76700, 76750, 76800, 76850, 76900, 76950, 77000, 77050, 77100, 77150, 77200, 77250, 77300, 77350, 77400, 77450, 77500, 77550, 77600, 77650, 77700, 77750, 77800, 77850, 77900, 77950, 78000, 78050, 78100, 78150, 78200, 78250, 78300, 78350, 78400, 78450, 78500, 78550, 78600, 78650, 78700, 78750, 78800, 7885

## Spa and wellness projects

### Steam baths / Hamams

	Example	Example
Description	Example 1 Steam bath / Hamam	Example 2 Steam bath / Hamam
Technical drawings	  	  
i Information	<b>Customised solutions according to customer's requirements</b> Ranging from concepts and planning to manufacturing of components and through to assembly on site – wedi is your central contact partner and provides detailed assistance for all problems during all phases of the project.  We are looking forward to your challenge A system provider and premium brand, we set a high value on quality: Quality of products and systems, quality of our employees, and quality in cooperation with you. We assure you of utmost professionalism and are looking forward to rise to your challenges.	
Your direct contact for customised products	Telephone: +49 2572 156-0 Fax: +49 2572 156-239 E-Mail: <a href="mailto:project@wedi.de">project@wedi.de</a>	

## Whirlpools / pools / plunge pools

## Sealing sets

**wedi Fundo sealing set**

Description	Packing unit	Order no.
wedi Fundo sealing set	1 bucket	07-37-96/000

-  • A Fundo sealing set is sufficient for installing a Fundo floor element including the respective wall elements.
-  • 2.4 kg powder component  
• 1.2 kg liquid component  
• 10 m sealing tape  
• 2 inside corners

**wedi building board Balco | sealing set**

Description	Packing unit	Order no.
wedi building board Balco, sealing set	1 bucket set	09-54-00/000

-  • A Balco sealing set is sufficient for approx. 6 m<sup>2</sup>.
-  • 4.4 kg powder component  
• 2.2 l liquid component  
• 20 m (2 x 10 m) sealing tape

## Adhesive sealant

**wedi 610 | adhesive sealant**


Description	Contents	Packing unit	Packing unit/box	Order no.
wedi 610, adhesive sealant	310 ml	1 Cartridge	20 units	07-69-02/002

-  • Consumption: 8 – 10 m per cartridge









**wedi®**

wedi Systems (UK) Ltd  
Unit 4 Mercury Park · Mercury Way  
Trafford Park · M41 7LY · Great Britain  
Telephone +44 161 864 2336 · Telefax +44 161 864 1323  
[info@wedi.co.uk](mailto:info@wedi.co.uk) · [www.wedi.co.uk](http://www.wedi.co.uk)

wedi GmbH  
Hollefeldstraße 51 · 48282 Emsdetten · Germany  
Telephone +49 2572 156-0 · Fax +49 2572 156-133  
[info@wedi.de](mailto:info@wedi.de) · [www.wedi.eu](http://www.wedi.eu)